

Publicazioni

1. A. Tiengo, A. Valerio, M. Molinari, A. Meneghel, A. Lapolla.
Effect of ethanol, acetaldehyde and acetate on insulin and glucagon secretion in the perfused rat pancreas.
Diabetes 30 (9), 705-709, 1981. IF =7.715
2. D. Fedele, A. Lapolla, G. Baldo, S. Del Prato, A. Tiengo, G. Crepaldi.
Simfibrate effects on plasma lipids and glucose tolerance in hyperlipoproteinemias.
Current Therapeutic Research 29, 401-415, 1981. IF=0.333
3. D. Fedele, R. Fellin, A. Lapolla, G. Baggio, F. De Romedi
Serum lipid and lipoprotein levels and metabolic control in insulin-treated diabetics.
Acta Diabetol. Lat. 18, 151-159, 1982. IF =1.619
4. D. Fedele, A. Lapolla, C. Cardone, G. Baldo, G. Crepaldi.
Glycosylated haemoglobin in endogenous hypertriglyceridemia.
Acta Diabetol. Lat. 20, 303-309, 1983. IF =1.619
5. A. Lapolla, T. Poli, A. Valerio, D. Fedele.
Glycosylated serum proteins in diabetic patients and their relation to metabolic parameters.
Diabete e Metab. 11, 238-242, 1985. IF=1.742
6. T. Poli, A. Lapolla, A. Valerio, D. Fedele.
Plasma and red cell sorbitol assay in diabetic subjects.
Acta Diabetol. Lat. 22, 7-23, 1985. IF =1.619
7. A. Lapolla, T. Poli, A. Valerio, D. Fedele.
Is red cell sorbitol content a good marker of glycemic control in diabetic patients?
Diabetes Research 2, 283-286, 1985. IF=0.385
8. A. Lapolla, P. Tessari, E. Duner, R. Trevisan, V. Zordan, R. Nosadini, A. Tiengo.
Hormonal and metabolic profiles in patients with alcohol-induced mixed hypertriglyceridemia before and after abstinence from ethanol and before and after a lipid-lowering diet.
Atherosclerosis 60, 151-159, 1986. IF=4.601
9. T. Poli, A. Lapolla, M. Plebani, A. Franchin, D. Fedele.
Glycated serum proteins determination: comparison between thiobarbituric acid and fructosamine assays.
Acta Diabetol. Lat. 24, 241-247, 1987. IF =1.619
10. A. Lapolla, T. Poli, A. Barison, D. Fedele.
Fructosamine assay: an index of medium-term metabolic control parameters in diabetic disease.
Diabetes Res. Clin. Pract. 4, 231-235, 1988. IF=1.888
11. B. Pelli, A. Sturaro, P. Traldi, A. Lapolla, T. Poli, D. Fedele, G. Crepaldi.
Collisional spectroscopy as a screening procedure for the determination of 2(2-furoyl)-4(5)-(2-furanyl)-1H-imidazole from acid hydrolysis of B-poly-(L-lysine) and B-albumin.
Biomed. Environ. Mass Spectrom. 15, 7-11, 1988. IF=2.945
12. A. Lapolla, P. Tessari, T. Poli, A. Valerio, E. Duner, E. Iori, D. Fedele, G. Crepaldi.
Reduced in vivo biological activity of in vitro glycosylated insulin.
Diabetes 37, 787-791, 1988. IF =7.715
13. A. Lapolla, T. Poli, F. Meneghini, M. Zucchetto, A. Franchin, D. Fedele.
Glycated serum proteins and glucose tolerance.
Acta Diabetol. Lat. 25, 325-332, 1988. IF =1.619
14. A. Lapolla, T. Poli, C. Gerhardinger, D. Fedele, G. Crepaldi, D. Chiarello, E. Ghezzi, P. Traldi.
Parent ion spectroscopy in the identification of advanced glycation products.
Biom. Environ. Mass Spectrom. 18, 713-718, 1989. IF=2.945
15. A. Lapolla, P. Tessari, A. Franchin, C. Gerhardinger, A. Valerio, N. Proto, D. Fedele.
Red cell sorbitol concentration in relation to short and medium term variation of plasma glucose.

Acta Diabetol. Lat. 26, 211-216, 1989. IF =1.619

16. A. Lapolla, C. Gerhardinger, B. Pelli, A. Sturaro, E. Del Favero, P. Traldi, G. Crepaldi, D. Fedele.
Absence of brown product FFI in nondiabetic and diabetic rat collagen.
Diabetes 39 (2), 57-61,1990. IF =7.715

17. A. Lapolla, C. Gerhardinger, E. Ghezzi, R. Seraglia, A. Sturaro, G. Crepaldi, D. Fedele, P. Traldi Identification of furoyl-containing advanced glycation products in collagen samples from diabetic and healthy rats.
Biochem. Biophys. Acta 1033,13-18, 1990. IF=2.500

18. C. Gerhardinger, A. Lapolla, G. Crepaldi, D. Fedele, E. Ghezzi, R. Seraglia, P. Traldi.
Evidence of acid hydrolysis as responsible for 2-(2-furoyl)-4(5)-(2-furanyl)-1H imidazole production.
Clin. Chim. Acta 189, 335-340,1990. IF =2.328

19. A.Lapolla, C. Cardone, P. Paiusco, P. Negrin, A. Barison, D. Bruttomesso, A. Maroso, D. Fedele.
Retinopathy and peripheral neuropathy in insulin-dependent diabetic pregnancies.
Diab. Nutr.Metab.3 (2): 105-7;1990. IF =0.719

20. A.Lapolla, C. Gerhardinger, G. Crepaldi, D. Fedele, M. Palumbo, D. Dal Zoppo, C.J. Porter, E. Ghezzi, R.Seraglia, P. Traldi.
Mass spectrometric approaches in the structural identification of reaction products arising from the interaction between glucose and lysine.
Talanta 38(4): 405-12, 1991. IF=3.206

21. A. Lapolla, C. Gerhardinger, A. Calabrò, M.G. Dal Frà, A. Franchin, D. Fedele, G. Crepaldi.
Glycated erythrocyte membrane proteins and haemorheological parameters in insulin-dependent diabetic subjects.
Clin. Haemorheol 11 (5): 405-15, 1991. IF=1.814

22. A. Lapolla, C. Gerhardinger, D. Fedele, G. Crepaldi, C. J. Porter, R. Seraglia, D. Favretto, P. Traldi.
Investigation on products arising from enzymatic digestion of advanced glycated albumin by High-performance Liquid Chromatography/Mass Spectrometry.
Rapid Commun. Mass Spectrom. 5: 624-628, 1991. IF =2.680

23. A. Lapolla, D. Fedele R. Seraglia, P. Traldi.
Mass spectrometry in the study of advanced glycation processes, responsible for long-term diabetes complications.
Rapid Commun. Mass Spectrom. 5: 527-533, 1991. IF =2.680

24. Sell D.R., Nagaraj R.H., Grandhee S.K., Odetti P., Lapolla A., Fogarty J. and Monnier V.R.
Pentosidine: a molecular marker for the cumulative damage to proteins in diabetes, aging, and uremia.
Diabetes Metab. Rev., 7 (4): 239-51, 1991. IF =3.087

25. A. Lapolla, C. Gerhardinger, L. Baldo, D. Fedele D. Favretto, R. Seraglia, P. Traldi.
Pyrolysis GC/MS in the analysis of glycated poly-L-lysine.
Org. Mass Spectrom. 27: 183-7, 1992. IF=1.716

26. S. Zambon, A. Lapolla, G. Sartore, C. Gerhardinger, A. Cortella, E. Manzato, G. Crepaldi, D. Fedele
Long-term treatment with simvastatin in type 2 diabetic patients.
Curr Therap Res. 52 (2), 221-9, 1992. IF=0.333

27. D. Sell, A. Lapolla, P. Odetti, J. Fogarty, V.M. Monnier.
Pentosidine formation in skin correlates with severity of complications in individuals with long-standing insulin dependent diabetes mellitus.
Diabetes 41, 1286-1292, 1992. IF =7.715

28. A. Lapolla, C. Gerhardinger, L. Baldo, G. Crepaldi, D. Fedele, D. Favretto, R. Seraglia, O. Curcuruto, P. Traldi.
Pyrolysis-gas- chromatography/mas spectrometry in the characterization of glycated albumin.
Anal. Appl. Pyr. 24, 87-103, 1992. IF=1.586

29. V.M. Monnier, D.R. Sell, S. Miyata, R.H. Nagaraj, P. Odetti, A. Lapolla.

- Advanced Maillard reaction products as markers for tissue damage in diabetes and uremia: relevance to diabetic nephropathy.
Acta Diabetol. 29, 130-135, 1992. IF =1.619
30. C. Coscelli, G. Calabrese, D. Fedele, E. Pisu, C. Calderini, S. Bistoni, A. Lapolla, M.G. Mauri, A. Rossi, A. Zappella.
Use of premixed insulin among the elderly. Reduction of errors in patients preparation of mixture.
Diabetes Care 15 (11), 1628-1630, 1992. IF =7.851
31. M. Manzato, S. Zambon, A. Lapolla, S. Zambon, L. Braghetto, G. Crepaldi, D. Fedele.
Lipoprotein abnormalities in well-treated type II diabetic patients.
Diabetes Care 16 (2), 469-475, 1993. IF =7.851
32. A. Lapolla, C. Gerhardinger, L. Baldo, D. Fedele, A. Keane, R. Seraglia, Catinella, P. Traldi.
A study on in vitro glycation processes by matrix assisted laser desorption mass spectrometry.
Biochem Biophys Acta 1225: 33-38, 1993. IF=2.500
33. A. Lapolla, C. Gerhardinger, L. Baldo, D. Fedele, R. Bertani, G. Facchin, E. Rizzi, S. Catinella, R. Seraglia, P. Traldi.
The lysine glycation. 1. A structural investigation on the products arising from the reaction of protected lysine and D-glucose.
Amino Acids 5: 389-401, 1993. IF=4.132
34. A. Lapolla, D. Fedele, P. Traldi.
Studies on advanced glycation end products by recent mass spectrometric techniques.
Amino Acids 6: 65-96, 1994. IF=4.132
35. A. Lapolla, L. Baldo, R. Aronica, C. Gerhardinger, D. Fedele, G. Elli, R. Seraglia, S. Catinella, P. Traldi.
Matrix Assisted Laser Desorption/Ionization Mass Spectrometry studies on protein glycation 2. The reaction of RNase with hexose.
Biol Mass Spectrom 23: 241-248, 1994. IF=2.485
36. A. Lapolla, D. Fedele, R. Seraglia, S. Catinella, P. Traldi.
Matrix Assisted Laser Desorption/Ionization capabilities in the study of non enzymatic protein glycation.
Rapid Commun Mass Spectrom 8: 645-652, 1994. IF =2.680
37. A. Lapolla, S. Mazzon, S. Marini, G. Burattin, P. Grella, D. Fedele.
A screening programme for gestational diabetes in a North Mediterranean Area.
Diab Nutr Metab 8: 33-41, 1995. IF =0.719
38. A. Lapolla, D. Fedele, R. Seraglia, S. Catinella, L. Baldo, R. Aronica, P. Traldi.
A new effective method for the evaluation of glycated intact plasma proteins in diabetic subjects.
Diabetologia 38: 1076-1081, 1995. IF =5.822
39. R. Trevisan, A. Tiengo, D. Fedele, A. Lapolla and the North-East Italy Microalbuminuria Study Group.
Effect of low-dose ramipril on microalbuminuria in normotensive or mild hypertensive non insulin dependent diabetic patients.
Am. J. Hypertens. 8: 876-883, 1995. IF=3.122
40. A. Lapolla, D. Fedele, R. Aronica, O. Curcuruto, M. Hamdam, S. Catinella, R. Seraglia, P. Traldi.
Investigation of the reaction between N-a-acetyl-L-lysineamide and glucose by electrospray mass spectrometry.
J. Mass Spectrom. S: 69-76, 1995. IF =3.062
41. A. Lapolla, D. Fedele, L. Baldo, R. Aronica, V. Raverdino, S. Catinella, R. Seraglia, P. Traldi.
An electrospray investigation on in vitro glycation of ribonuclease.
Rapid Commun Mass Spectrom 10: 178-182, 1996. IF =2.680

42. A. Lapolla, C. Betterle, M. Sanzari, R. Zanchetta, E. Pfeifer, A. Businaro, U. Fagiolo, A Burlina, D. Fedele. An immunological and genetic study on patients with gestational diabetes mellitus. *Acta Diabetol Lat* 33 (2): 139-144, 1996. IF =1.619
43. A. Lapolla, D. Fedele, R. Aronica, M. Garboglio, M. D'Alpaos, R. Seraglia, P. Traldi. The in vivo glyco-oxidation of α_1 and α_2 -globins investigated by matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Commun Mass Spectrom* 10: 1133-5, 1996. IF =2.680
44. P. Traldi, A. Lapolla, R. Seraglia, S. Catinella, M. D'Alpaos, R. Aronica, D. Fedele. Investigation on protein nonenzymatic glycation by a new and effective mass spectrometric method. *Microchemic. J.* 54: 218-35, 1996. IF=2.505
45. A. Lapolla, D. Fedele, R. Aronica, L. Baldo, M. D'Alpaos, R. Seraglia, P. Traldi. The in vitro glycation of lysozyme and the influence of buffer concentration investigated by mass spectrometry. *Rapid Commun Mass Spectrom* 10: 1512-8, 1996. IF =2.680
46. P.Traldi, D.Favretto, R.Seraglia, A.Lapolla. Mass Spectrometry in the study of non-enzymatic glyco-oxidation of proteins. *Rapid Commun. Mass Spectrom.*,11, 673-678, 1997. IF =2.680
47. A.Lapolla, D.Fedele, R.Aronica, M.Garboglio, M.D'Alpaos, M.Plebani, R.Seraglia, P.Traldi. A highly specific method for the characterization of glycation and glyco-oxidation products of globins. *Rapid Commun. Mass Spectrom.*,11, 613-617, 1997. IF =2.680
48. A. Lapolla, D. Fedele, R. Aronica, M. Garboglio, M. D'Alpaos, R. Seraglia, P. Traldi. Evaluation of IgG glycation levels by matrix assisted laser desorption ionization mass spectrometry. *Rapid Comun Mass Spectrom* 11, 1342-46, 1997. IF =2.680
49. A.Lapolla, C. Cardone, P. Negrin, E. Midena, S. Marini, C. Gardellin, D. Bruttomesso, D.Fedele. Pregnancy does not induce or worsen retinal and peripheral nerve dysfunction in insulin-dependent diabetic women. *J Diab Compl*, 12: 74-80, 1998. IF=2.345
50. A.Resemann, F.J. Mayer-Posner, A. Lapolla, D. Fedele, M. D'Alpaos, P. Traldi. Further considerations on the use of matrix-assisted laser desorption/ionization mass spectrometry in the analysis of glycated globins. *Rapid Comm. Mass Spectrom*, 12, 805-807, 1998. IF =2.680
51. A.Lapolla, D. Fedele, M. Plebani, M. Garboglio, R. Seraglia, M. D'Alpaos, C.N. Aricò, P. Traldi. Direct evaluation of glycated and glyco-oxidized globins by matrix-assisted laser desorption/ionization mass spectrometry. *Rapid Commun. Mass Spectrom.* 13, 8-14, 1999. IF =2.680
52. A.Lapolla, D. Fedele, M. Plebani, R. Aronica, M. Garboglio, R. Seraglia, M. D'Alpaos, P. Traldi. Evaluation of glycated globins by matrix-assisted laser desorption/ionization mass spectrometry. *Clinic. Chem.* 45 (n. 2): 288-300, 1999. IF =5.579
53. A.Lapolla, M.C.Sanzari, F. Zancaro, M.Masin, A. Guerriero, I.Piva, R. Toniato, G. Erle, M.Platani, D. Fedele. A study of lymphocyte subpopulation in diabetic mothers at delivery and in their newborn. *Diab. Nutr. Metab.* 12(6): 394-399, 1999. IF =0.719
54. A.Lapolla, D. Fedele, P. Mauri, C.N. Aricò, R. Seraglia, P. Traldi. Study of the reaction of glucose with free bases, nucleosides and nucleotides by different analytical approaches. *Rapid Comm. Mass Spectrom.* 13, 2063-67, 1999. IF =2.680

55. G. Fontana, A. Lapolla, M. Sanzari, E. Piva, M. Mussap, S. De Toni, M. Plebani, F. Fusetti, D. Fedele.
An immunological evaluation of type 2 diabetic patients with periodontal disease.
Journal Diabetes and its Complications 13: 13-23, 1999 IF=2.345
56. A.Lapolla, D. Fedele, M. Garboglio, L. Martano, R. Tonani, R. Seraglia, D. Favretto, M.A. Fedrigo, P. Traldi.
Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry, enzymatic digestion, and molecular modeling in the study of nonenzymatic glycation of IgG
J Am Soc Mass Spectrom 11: 153-59, 2000. IF =3.307
57. A.Lapolla, M.Sanzari, C.Betterle, M.G.Dalfrà, M.Masin, R.Zanchetta, F.Zancanaro, F.Capovilla, R.Toniato, M.Plebani, D. Fedele.
Evaluation of T-cell receptor CD3 $\alpha\beta$ in gestational diabetes mellitus.
Acta Diabetol., 37: 207-211, 2000. IF =1.619
58. M.P. Arsie, L. Marchioro, A. Lapolla, G.F. Giachetto, M.R. Bordin, P. Rizzotti, D. Fedele.
Evaluation of diagnostic reliability of DCA 2000 for rapid and simple monitoring of HbA1c.
Acta Diabetol 37:1-7, 2000. IF =1.619
59. A.Lapolla, D. Fedele, P. Traldi.
The role of mass spectrometry in the study of non-enzymatic protein glycation in diabetes.
Mass Spectrometry Review ,19: 279-304, 2000. IF =10.947
60. A.Lapolla, D. Fedele, P. Traldi.
Diabetes and mass spectrometry.
Diab Metab Res Rev , 17: 99-112, 2001. IF =3.087
61. A.Lapolla, D. Fedele, L. Martano, C.N. Aricò, M. Garboglio, P. Traldi, R. Seraglia, D. Favretto.
Advanced glycation end products: a highly complex set of biologically relevant compounds detected by mass spectrometry.
J Mass Spectrom., 36:370-378, 2001. IF =3.062
62. G. Annunzi, S. Del Prato, R. Arcari, A. Bellomo Damato, L. Benzi, D. Bruttomesso, MC. Calderini, C. Costelli, D. Fedele, A. Galluzzo, M. Giordano, R. Giorgino, A. Lapolla, P. Orsini, G. Pagano, D. Santoro, G. Riccardi.
Preprandial combination of lispro and NPH insulin improves overall blood glucose control in type 1 diabetic patients: a multicenter randomized crossover trial.
Nutr Metab Cardiovasc Dis, 11: 168-175, 2001. IF =3.565
63. M.G. Dalfrà, A. Lapolla, M. Masin, G. Giglia, B. Dalla Barba, R. Toniato, D. Fedele.
Antepartum and early postpartum predictors of type 2 diabetes development in women with gestational diabetes mellitus.
Diab Metab, 27: 675-680, 2001. IF=1.742
64. A. Lapolla, R. Tonani, D. Fedele, M. Garboglio, A. Senesi, R. Seraglia, D. Favretto, P. Traldi.
Non-enzymatic Glycation of IgG: an in vivo study.
Horm Metab Res, 34: 260-264, 2002. IF =2.049
65. A. Lapolla, D. Fedele, B. Pedini, M.G. Dalfrà, M. Sanzari, M. Masin, R. Zanchetta, C. Betterle.
Low frequency of autoantibodies to islet cell, glutamic acid decarboxylase, and second-islet antigen in patients with Gestational Diabetes Mellitus.
Ann N Y Acad Sci, 958: 263-266, 2002. IF =1.930
66. A. Lapolla, D. Fedele, A. Senesi, C.N. Aricò, R. Reitano, D. Favretto, R. Seraglia, H. Astner, P. Traldi.
Advanced Glycation end-products/peptides: a preliminar investigation by LC and LC/MS.

Il Farmaco, 57: 845-852, 2002. IF=0.790

68. G.Sartore, C.Rossetti, L.Martano, P.Carraro, M.DePaoli, D.Fedele. Peripheral artery disease in type 2 diabetes: the role of fibrinolysis. A.Lapolla, F.Piarulli, Thromb Haemost 89: 91-96, 2003. IF =2.803

69. G.Roselli della Rovere, A.Lapolla, G.Sartore, C.Rossetti, S.Zambon, N.Minicuci, G.Crepaldi, D.Fedele and E.Manzato. Plasma lipoproteins, apoproteins and cardiovascular disease in Type 2 diabetic patients. A nine-year follow up study. Nutr Metab Cardiovasc Dis, vol 13: 46-51, 2003. IF =3.565

70. A.Lapolla, R.Flamini, T.Tonus, D.Fedele, A.Senesi, R.Reitano, E.Marotta, G.Pace, R.Seraglia and P.Traldi. An effective derivatization method for quantitative determination of glyoxal and methylglyoxal in plasma samples by gas chromatography/mass spectrometry. Rapid Commun Mass Spectrom, vol 17: 876-878, 2003. IF =2.680

71. E.Marotta, A.Lapolla, D.Fedele, A.Senesi, R.Reitano, M.Witt, R.Seraglia and P.Traldi. Accurate mass measurements by Fourier transform mass spectrometry in the study of advanced glycation end products/peptides. J. Mass Spectrom, vol 38: 196-205, 2003. IF =3.062

72. A.Lapolla, MG.Dalfrà, M.Masin, D.Bruttomesso, I.Piva, C.Crepaldi, C.Tortul, B.Dalla Barba, D.Fedele. Analysis of outcome of pregnancy in type 1 diabetics treated with insulin pump or conventional therapy.. Acta Diabetol, 40: 143-149, 2003. IF =1.619

73. A.Lapolla, R.Flamini, A. Dalla Vedova, A.Senesi, R.Reitano, D.Fedele, E.Basso, R.Seraglia, P.Traldi. Glyoxal and metylglyoxal levels in diabetic patients: quantitative determination by a new GC/MS method. Clin Chem Lab Med 2003; 41(9): 1166-1173. IF =2.069

74. A.Mosca, R.A.Paleari, F. Ceriotti, A.Lapolla, D.Fedele for the Lecarnidipine Study Group. Biological variability of albumin excretion rate and albumin-to-creatinine ratio in hypertensive type 2 diabetic patients. Clin Chem Lab Med 2003; 41(9):1229-33. IF =2.069

75. M.Sacco, F.Pellegrini, M.C. Roncaglioni, F.Avanzini, G.Tognoni, A.Nicolucci, A.Lapolla and PPP Collaborative Group. Primary Prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients. Diabetes Care, 2003, 26 (12), 3264-3272. IF =7.851

76. A. Lapolla, D.Fedele, R.Reitano, CN.Aricò, R.Seraglia, P.Traldi, E.Marotta, R.Tonani. Enzymatic digestion and mass spectrometry in the study of advanced glycation end products/peptides. J Am Soc Mass Spectrom 2004, 15, 496-509. IF =3.307

77. Tessitore N, Lapolla A, Aricò CN, Poli A, Gambaro L, Bassi A, Bedogna V, Corgnati A, Fedele D, Lupo A. Effect of protein leaking BK-F PMMA-based hemodialysis on plasma pentosidine levels. J Nephrol 2004, 17, 1-8. IF =1.338

78. Lapolla A, Tubaro M, Reitano R, Aricò CN, Ragazzi E, Seraglia R, Vogliardi S, Traldi P, Fedele D. The complexity of non-enzymatic glycation product sets of human globins. Diabetologia 2004; 47: 1712-1715. IF =5.822

79. Dalla Vestra M., Pozza G., Mosca A., Grazioli V., Lapolla A., Fioretto P., Crepaldi G. Effect of lecanidipine compared with ramipril on albumin excretion rate in hypertensive Type 2 diabetic patients with microalbuminuria. DIAL Study (Diabete, Ipertensione, Albuminuria, Lecarnidipina).

Diab Nutr Metab 17(5): 259-266, 2004. IF =0.719

80. Lapolla A., Dalfrà M.G., Lencioni C., Di Cianni G.
Epidemiology of diabetes in pregnancy: A review of Italian data.
Diab. Nutr. Metab. 2004 17: 358-367. IF =0.719

81. Lapolla A, Tubaro M, Fedele D, Reitano R, Aricò N C, Ragazzi E, Seraglia R, Vegliardi S, Traldi P
A matrix assisted laser desorption/ionization mass spectrometry study of the non-enzymatic glycation products of human globins in diabetes.
Rapid Commun. Mass Spectrom. 2005; 19: 162-168. IF =2.680

82. Piarulli f, Lapolla A, Sartore G, Rossetti C, Bax G, Noale M, Minicuci N, Fiore C, Marchioro L, Manzato E, Fedele D
Autoantibodies Against Oxidized LDLs and Atherosclerosis in Type 2 Diabetes. Diabetes Care 2005, 28(3): 653-657.
IF =7.851

83. Lapolla A, Traldi P, Fedele D.
Importance of measuring products of non-enzymatic glycation of proteins
Clinical Biochemistry 38(2005): 103-115 IF =1.926

84. Napoli A, Colatrella A, Botta R, Di Cianni G, Fresa R, Gamba S, Italia S, Mannino D, Piva I, Suraci C, Tonutti L, Torlone E, Tortul C, Lapolla A.
Contraception in diabetic women: an Italian study.
Diabetes Research and Clinical Practice 67 : 267-272, 2005. IF =1.888

85. A. Lapolla, M.G. Dalfrà, D. Fedele.
Insulin therapy in pregnancy complicated by diabetes: are insulin analogs a new tool?
Diabetes Metab Res Rev 2005; 21 : 241-252. IF =3.087

86. A Lapolla, R. Flamini, A. Lupo, N. C. Arico', C. Rugiu, R. Reitano, M. Tubaro, E. Ragazzi, R. Seraglia, and P. Traldi. Evaluation of Glyoxal and Methylglyoxal Levels in Uremic Patients under Peritoneal Dialysis.
Ann. N. Y. Acad. Sci. 2005,1043: 217-224 IF =1.930

87. A. Lapolla, D. Fedele, R. Reitano, L. Bonfante, G. Pastori, R. Seraglia, M. Tubaro, and P. Traldi.
Advanced Glycation End Products/Peptides: An in Vivo Investigation.
Ann. N. Y. Acad. Sci 2005,1043: 267-275. IF =1.930

88. A Lapolla, D Fedele, R Reitano, L Bonfante, M Guizzo, R Seraglia, M Tubaro, P Traldi.
Mass Spectrometric study of in vivo advanced glycation end-products/peptides.
J Mass Spectrometry 2005, 40:969-972. IF =3.062

89. A. Lapolla, R. Reitano, L. Baccarin, G. Sartore, M. Plebani, D. Fedele.
Pentosidine plasma levels and relation with metabolic control in diabetic patients.
Hormone and Metabolic Research 2005,37: 252-256. IF =2.049

90. A. Lapolla, D. Fedele, P. Traldi. Glyco-oxidation in diabetes and related diseases.
Clinica Chimica Acta 2005,357: 236-250. IF =2.328

91. A. Lapolla, R. Reitano, R. Seraglia, G. Sartore, E. Ragazzi, P. Traldi.
Evaluation of Advanced Glycation End Products and Carbonyl Compounds in Patients with Different Conditions of Oxidative Stress. Molecular Nutrition and Food Research 2005, 49: 685-690. IF =2.687

92. A. Lapolla, M.G. Dalfrà, M. Sanzari, D Fedele, C Betterle, M Masin, R Zanchetta, D Faggian, M Masotti, V Nucera, M Plebani. Lymphocyte subset and cytokines in women with gestational diabetes mellitus and their newborn.
Cytokine 2005, 31: 280-287. IF =2.012

93. A Lapolla, G. Sartore, G.R Della Rovere, G Romanato, S. Zambon, S Marin, E. Manzato, D. Fedele.
Plasma fatty acids and lipoproteins in type 2 diabetic patients.
Diabetes/Metabolism Research and Reviews, 2006, 22:226-231. IF =3.087

94. A Lapolla, E Basso, P Traldi Mass spectrometry of advanced glycation end products. *Adv Clin Chem* 2005,40:165-217. IF =2.444
95. A. Lapolla, R. Flamini, C. N. Aricò, C. Rugu, R. Reitano, E. Ragazzi, R. Seraglia, A Dalla Vedova, A Lupo, D. Fedele, P. Traldi. The fate of Glyoxal and methylglyoxal in peritoneal dialysis. *J Mass Spectrometry* 2006, 41:405-408. IF =3.062
96. E Parretti, A Lapolla, M DalFrà, G Pacini, A Mari, R Cioni, C Marzari, G Scarselli, G Mello. Preeclampsia in lean normotensive normotolerant pregnant women can be predicted by simple insulin sensitivity indexes. *Hypertension* 2006, 47: 449-453. IF =7.368
97. Mosca A, Paleari R, Dalfrà MG, DiCianni G, Cuccuru I, Pellegrini G, Malloggi L, Bonomo M, Granata S, Ceriotti F, Castiglioni MT, Songini M, Tocco G, Masin M, Plebani M, Lapolla A. Reference intervals for haemoglobin A1c in pregnant women: data from an Italian Multicentric study. *Clin Chem* 2006; 52: 1138-1143. IF =5.579
98. Federici MO, Mosca A, Testa R, Lapolla A, Andreani P, Benedetti MM, National survey on the execution of the oral glucose tolerance test (OGTT) in a representative cohort of Italian laboratories. *Clin Chem Lab Med* 2006; 44:567-573. IF =2.069
99. Watt JW, Frias JL, Hoymet HE, Jovanovic L, Kaaia R, Brown F, Garg S, Lee-Parritz A, Seely EW, Kerr L, Mattoo V, Tan M and the IONs study group (2005). Congenital anomaly rate in offspring of mothers with diabetes treated with insulin lispro during pregnancy. *Diabet Med* 22(6): 803-807. IF =3.036
100. Lapolla A, Fedele D, Seraglia R, Traldi P. The role of mass spectrometry in the study of non-enzymatic protein glycation in diabetes. *Mass Spectrom Rev* 2006; 25: 775-797. IF =10.947
101. Brancia FL, Bereszczak JZ, Lapolla A, Fedele D, Baccarin L, Seraglia R, Traldi P. Comprehensive analysis of glycated human serum albumin tryptic peptides by off-line liquid chromatography followed by MALDI analysis on a time-of-flight/curved field reflectron tandem mass spectrometer. *J Mass Spectrom* 2006; 41: 1179-1185. IF =3.062
102. F Fallucca, MG Dalfrà, E Sciuolo, M Masin, AM Buongiorno, A Napoli, D Fedele, A Lapolla Polymorphism of insulin receptor substrate 1 and β 3-adrenergic receptor genes in gestational diabetes and normal pregnancy. *Metabolism* 2006; 55: 1451-1456. IF = 2.920
103. D Bruttomesso, S Costa, D Crazzolaro, P DiBartolo, A Girelli, A Lapolla and Italian Study Group on Diffusion of CSII Continuous subcutaneous insulin infusion (CSII) in Italy. *Diab Res Clin Pract* 2006, 74:130-134. IF =1.888
104. A Lapolla, F Piarulli, G Sartore, A Ceriello, E Ragazzi, R Reitano, L Baccarin, B Laverda, D Fedele. Advanced glycation end products and antioxidant status in type 2 diabetic patients with and without peripheral artery disease. *Diabetes Care* 2007, 30: 670-676. IF =7.851
105. A Lapolla, MG Dalfrà, M Bonomo, MT Castiglioni, G Di Cianni, M Masin, E Mion, R Paleari, R Paleari, C Schievano, M Songini, G Tocco, L Volpe, A Mosca. Can plasma glucose and HbA1c predict fetal growth in mothers with different glucose tolerance levels? *Diab Res Clin Pract* 2007 Sep;77(3):465-70 IF =1.888
106. A Lapolla, FL Brancia, J Bereszczak, D Fedele, L Baccarin, R Seraglia, P Traldi. Off-line liquid chromatography-MALDI by with various matrices and tandem mass spectrometry for analysis of glycated human serum albumin tryptic peptides. *Mol Nutr Food Res* 2007, 51:456-461. IF =3.308
107. A Lapolla, MG Dalfrà, G DiCianni, M Bonomo, E Parretti, G Mello, for the Scientific Committee of the GISOGD Group. A multicenter Italian study on pregnancy outcome in women with diabetes. *Nutr Metab & Cardiovasc Dis.* 2008 May;18(4):291-7 IF =3.565
108. A Lapolla, E Ragazzi, B Andretta, D Fedele, M Tubaro, R Seraglia, L Molin, P Traldi. Multivariate analysis of matrix-assisted laser desorption/ionization mass spectrometric data related to glycoxidation products of human globins in nephropatic patients. *J Am Soc Mass Spectrom* 2007, 18:1018-1023. IF =3.307

109. A Lapolla, MG Dalfrà, M Bonomo, MT Castiglioni, G DiCianni, M Masin, E Mion, R Paleari, C Schievano, M Songini, G Tocco, L Volpe, A Mosca. Can plasma glucose and HbA1c predict fetal growth in mothers with different glucose tolerance levels? *Diabetes Research and Clinical Practice* 2007, 77: 465-470. IF =1.888
110. R Paroni, F Ceriotti, R Galanello, GB Leoni, A Panico, E Scurati, R Paleari, L Chemello, V Quaino, L Scaldaferrì, A Lapolla, A Mosca. Performance characteristics and clinical utility of an enzymatic method for the measurement of glycated albumin in plasma. *Clin Biochem* 2007;40(18):1398-405. IF =1.926
111. GP Fadini, I Baesso, C Agostini, E Cuccato, GB Nardelli, A Lapolla, A Avogaro. Maternal insulin therapy increases fetal endothelial progenitor cells during diabetic pregnancies. *Diabetes Care* December 2008 ;31(4):808-10. IF =7.851
112. A Lapolla, M Brioschi, C Banfi, E Tremoli, L Bonfante, S Cristoni, R Seraglia, P Traldi. On the search for glycated lipoprotein ApoA-I in plasma of diabetic and nephropatic patients. *J Mass Spectrom* 2008, 43:74-81. IF =3.062
113. A Lapolla, M Brioschi, C Banfi, E Tremoli, C Cosma, L Bonfante, S Cristoni, R Seraglia, P Traldi. Nonenzymatically glycated lipoprotein Apo-A1 in Plasma of diabetic and nephropatic patients. *Ann N Y Acad Sci* 2008;1126:295-9. IF =1.930
114. A Lapolla, MG Dafrà, R Spezia, R Aninchini, M Bonomo, D Bruttomesso, G Di Cianni, I Franzetti, A Galluzzo, G Mello, G Menato, A Napoli, G Noacco, E Parretti, C Santini, E Scaldaferrì, L Scaldaferrì, M Songini, L Tonutti, E Torlone, R Gentilella, A Rossi, D Valle. Outcome of pregnancy in type 1 diabetic patients treated with insulin lispro or regular insulin: an Italian experience. *Acta Diabetol.*2008 Mar; 45(1): 61-6. IF =1.619
115. M Bonomo, A Lapolla, D Mannino, A Arcangeli, A Di Benedetto, P Di berardino, R Fresa, A Napoli, E Torlone, R vero, E Vitacolonna, G Di Cianni; Scientific Committee of the "MAMMA SERENA" interassociative Study Group. Care of diabetes in pregnancy in Italy: structural and organizational aspects. *Diabet Med.*2008, 25(3): 379-380. IF =3.036
116. A Lapolla, MG Dalfrà, D Fedele. Pregnancy complicated by type 2 diabetes: An emerging problem. *Diabetes Res Clin Pract.*2008;80 (1):2-7. IF =1.888
117. A Lapolla, MG Dalfrà, G Mello, E Parretti, R Cioni, C Marzari, M Masin, A Ognibene, G Messeri, D Fedele, A Mari, G Pacini. Early detection of insulin sensitivity and beta cell function with simple tests indicates future derangements in late pregnancy. *J Clin Endocrinol Metab.* 2008;93(3):876-80. IF =5.493
118. A Lapolla, M Brioschi, C Banfi, E Tremoli, C Cosma, L Bonfante, S Cristoni, R Seraglia, P Traldi. Nonenzymatically glycated lipoprotein ApoA-I in plasma of diabetic and nephropatic patients. *Ann NY Acad Sci* 2008, 1126:295-299. IF =1.930
119. Natahn DM, Kuenen J, Borg R, Zheng H, Schoenfeld D, Heine R for the A1cDerivedAverage Glucose (ADAG) Study Group (A Lapolla). Translating the A1c assay into estimated average glucose values. *Diabetes Care* 2008 31(n8) : 1-6. IF =7.851
120. Di Cianni, E Torlone, C Lencioni, M Bonomo, A DiBenedetto, A Napoli, E Vitacolonna, D Mannino, A Lapolla for the Italian Diabetes and Pregnancy Study Group, Italian Society of Diabetology. Perinatal outcomes associated with the use of glargine during pregnancy. *Diabetic Medicine* 25:993-996, 2008. IF =3.036
121. P Damm, J Oats, C Lowy, A Napoli, P Ovensen, Y Oimori, A Kautzy-Willer, E Herrea, B Persson, H Beck-Nielsen, S delPrato, DA Sacks, J Friedman, A Lapolla, M Hod, R Corcoy, S Haguel-De-Mouzon, K Teramo. Audit meeting of the Diabetic Pregnancy Study Group. *Diabetologia* 2008; 51 (7). IF =5.822
122. G Sartore, A Lapolla, R Reitano, S Zambon, G Romanato, R Marin, C Cosma, E Manzato, D Fedele. Desaturase activities and metabolic control in type 2 diabetes. *Prostaglandins, Leukotrienes and Essential Fatty Acids* 2008, 79:55-58. IF =2.000
123. Nicolucci A, Cuconotta D, Squatrito S, Lapolla A, Musacchio N, Leotta S, Vitali L, Bulotta A, Nicoziani P, Coronel G on behalf of the QuoLITy Study Group. Clinical and socio-economic correlates of quality of life and treatment satisfaction in patients with type 2 diabetes. *Nutrition Metabolism & Cardiovascular Disease* 2009; 19:45-1953 IF = 3.565

124. Lapolla A, Seraglia R, Molin L, Williams C, Cosma C, Reitano R, Sechi A, Ragazzi E, Traldi. Low molecular weight proteins in urines from healthy subjects as well as nephropatic and diabetic-nephropatic patients: a MALDI study. *J Mass Spectrom* 2009, 44:419-425. IF =3.062
125. Piarulli F, Sartore G, Ceriello A, Ragazzi E, Reitano R, Nollino L, Cosma C, Fedele D, Lapolla Relationship between glyco-oxidation, antioxidant status and microalbuminuria in type 2 diabetic patients. *A. Diabetologia*. 2009 Jul;52(7):1419-25. 2009. IF =5.822
126. Lapolla A, Dalfrà MG, Bonomo M, Parretti E, Mannino D, Mello G, Di Cianni G Gestational diabetes mellitus in Italy: a multicenter study.; Scientific Committee of GISOGD Group.*Eur J Obstet Gynecol Reprod Biol*.2009 145(2):149-53. IF = 1.432
127. Lapolla A, Dalfrà MG, Fedele D. Management of gestational diabetes mellitus. *Diabetes Metab Syndr Obes*. 2009 Jun 17;2:73-82.2: 73-81, 2009. IF =
128. Lapolla A, Dalfrà MG, Fedele D. Diabetes related autoimmunity in gestational diabetes mellitus: Is it important? *Nutr Metab Cardiovasc Dis*. 2009 19:774-782. IF =3.565
129. Dalfrà MG, Fedele D, Ragazzi E, Cosma C, Bisson T, Masin M, Lapolla A. Elevations of inflammatory cytokines during and after pregnancy in gestational diabetes. *J Endocrinol Invest*. 2009 Mar;32(3):289-90. IF = 1.888
130. Torlone E, Di Cianni G, Mannino D, Lapolla A. Insulin analogs and pregnancy: an update. *Acta Diabetol* 2009 46(3):163-72. IF =1.619
131. Dalfrà MG, Nicolucci A, Lapolla A, The effect of telemedicine on outcome and quality of life in pregnant women with diabetes. *TISG. J Telemed Telecare*. 2009;15(5):238-42. IF = 0.890
132. Sartore G, Reitano R, Barison A, Magnanini P, Cosma C, Burlina S, Manzato E, Fedele D, Lapolla A. The effects of psyllium on lipoproteins in type II diabetic patients. *Eur J Clin Nutr*. 2009 ;63(10):1269-71. IF = 2.686
133. A Lapolla, G DiCianni, D Bruttomesso, MG Dalfrà, R Fresa, G Mello, A Napoli, T Romanelli, L Sciacca, G Stefanelli, E Torlone, D Mannino Use of insulin detemir in pregnancy: a report on 10 type 1 diabetic women. *Diabetic Medicine* 2009 26:1179-1183. IF = 3.036
134. Lapolla A, Molin L, Sechi A, Cosma C, Ragazzi E, Seraglia R, Traldi P. A further investigation on a MALDI-based method for evaluation of markers of renal damage. *J Mass Spectrom*. 2009 Dec;44(12):1754-60. IF =3.062
135. Mosca A, Branca MT, Carta M, Genna ML, Giorda CB, Ghidelli R, Ghislandi G, Iafusco D, Lapolla A, Lombardi VB, Lovagnini Scher CA, Marra M, Medea G, Meschi F, Pizzini A, Rossi F, Scalpone R, Tofini G, Trovati M, Zaninotto M. Recommendations for the implementation of international standardization of glycated hemoglobin in Italy. *Clin Chem Lab Med*. 2010 Mar 5. [Epub ahead of print] IF =2.069
136. International Association of Diabetes and Pregnancy Study Groups Consensus Panel
International Association of Diabetes and Pregnancy Study Groups Recommendations on the Diagnosis and Classification of Hyperglycemia in Pregnancy *Diabetes Care* March 2010 33:676-682 IF =7.851
137. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, Nerup J, Borch-Johnsen K, Witte DR; ADAG Study Group. Associations between features of glucose exposure and A1C: the A1C-Derived Average Glucose (ADAG) study.*Diabetes*. 2010 Jul;59(7):1585-90. Epub 2010 Apr 27. IF=7.715
138. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, Nerup J, Borch-Johnsen K, Witte DR; ADAG Study Group. Real-life glycaemic profiles in non-diabetic individuals with low fasting glucose and normal HbA1c: the A1C-Derived Average Glucose (ADAG) study. *Diabetologia*. 2010 Aug;53(8):1608-11. Epub 2010 Apr 16. IF= 6.814
139. Lapolla A, Dalfrà MG, Fedele D. Pregnancy complicated by diabetes: what is the best level of HbA1c for conception? *Acta Diabetol* 2010 May 26 (Epub ahead of print) IF = 1.619
140. Lapolla A, Marangon M, Dalfrà MG, Segato G, De Luca M, Fedele D, Favretti F, Enzi G, Busetto L. Pregnancy outcome in morbidly obese women before and after laparoscopic gastric banding. *Obes Surg*. 2010 Jun 4 (Epub ahead of print) IF = 2.934
141. Dalfrà MG, Ragazzi E, Masin M, Bonsembiante B, Cosma C, Barison A, Toniato R, Fedele D, Lapolla A. Pregnancy outcome in immigrant women with gestational diabetes mellitus. *Gynecol Endocrinol*. 2010 Jun 9 (Epub ahead of print) IF = 1.360
142. Fadini GP, Albiero M, Menegazzo L, Boscaro E, Pagnin E, Iori E, Cosma C, Lapolla A, Pengo V, Stendardo M, Agostini C, Pelicci P, Giorgio M, Avogaro A. The redox enzyme p66Shc contributes to diabetes and ischemia-induced delay in cutaneous wound healing. *Diabetes* 2010 Jun 21 (Epub ahead of print) IF = 7.715

143. Lapolla A, Bonomo M, Dalfrà MG, Parretti E, Mannino D, Mello G, Di Cianni G on behalf of GISOGD. Pregnancy BMI influences maternal and fetal outcome in women with isolated gestational hyperglycemia: a multicenter study. *Diabetes & Metabolism*. doi:10.1016/j.2010.01.008. IF = 2.426
144. Lapolla A, Manzato E, Sartore G, Marin R, Cosma C, Bolis A, Seraglia R, Traldi P. Evaluation of methionine sulphoxide content of ApoA-I in type 2 diabetic patients and young coronaropathic subjects: a preliminary study. *Rapid Commun Mass Spectrom*. 2011 Jan 30;25(2):391-4. No abstract available. IF = 2.680
145. Bonfante L, Virga G, Lapolla A, Toffolo K, Del Prete D, Scaparrotta G, Alessi M, D'Angelo A. Suspension of ACE-I and ARB Treatment Is Associated with Acute Increase in Serum AGE Levels in Patients on Peritoneal Dialysis. *Perit Dial Int*. 2011 Jan;31(1):94-7. No abstract available. IF = 1.636
146. Mosca L, Penco S, Patrosso MC, Marocchi A, Lapolla A, Sartore G, Chillelli NC, Paleari R, Mosca A. Genetic variability of the fructosamine 3-kinase gene in diabetic patients. *Clin Chem Lab Med*. 2011 May;49(5):803-8. Epub 2011 Feb 3. IF = 2.069
147. Roman M, Lapolla A, Jitaru P, Sechi A, Cosma C, Cozzi G, Cescon P, Barbante C. . Plasma selenoproteins concentrations in type 2 diabetes mellitus--a pilot study. *Transl Res*. 2010 Oct;156(4):242-50. Epub 2010 Aug 11. IF = 2.062
148. Lapolla A, Porcu S, Traldi P. Some views on proteomics in diabetes. *Clin Chem Lab Med*. 2011 Jun;49(6):943-57. Epub 2011 Mar 17. IF = 2.069
149. Dalfrà MG, Pacini G, Parretti E, Ragazzi E, Mello G, Lapolla A. Elevated insulin sensitivity and β -cell function during pregnancy in mothers of growth-restricted newborns. *Am J Physiol Endocrinol Metab*. 2011 Jul;301(1):E25-30. Epub 2011 Apr 5. IF = 4.686
150. Bruttomesso D, Bonomo M, Costa S, Dal Pos M, Di Cianni G, Pellicano F, Vitacolonna E, Dodesini AR, Tonutti L, Lapolla A, Di Benedetto A, Torlone E; the IGCSIIP (Italian Group for Continuous Subcutaneous Insulin Infusion in Pregnancy). Type 1 diabetes control and pregnancy outcomes in women treated with continuous subcutaneous insulin infusion (CSII) or with insulin glargine and multiple daily injections of rapid-acting insulin analogues (glargine-MDI). *Diabetes Metab*. 2011 Apr 5. [Epub ahead of print] IF = 3.033
151. Dalfrà MG, Nicolucci A, Bisson T, Bonsembiante B, Lapolla A. Quality of life in pregnancy and post-partum: a study in diabetic patients. *Qual Life Res*. 2011 Jun 2. [Epub ahead of print] IF = 1.958
152. Orioli M, Vistoli G, Regazzoni L, Pedretti A, Lapolla A, Rossoni G, Canevotti R, Gamberoni L, Previtali M, Carini M, Aldini G. Design, Synthesis, ADME Properties, and Pharmacological Activities of β -Alanyl-D-histidine (D-Carnosine) Prodrugs with Improved Bioavailability. *ChemMedChem*. 2011 Jun 1. doi: 10.1002/cmdc.201100042. [Epub ahead of print] IF = 3.306
153. Lapolla A, Mosca A, Fedele D. The general use of glycated haemoglobin for the diagnosis of diabetes and other categories of glucose intolerance: Still a long way to go. *Nutr Metab Cardiovasc Dis*. 2011 Jul;21(7):467-75. Epub 2011 Jun 8. IF = 3.517
154. GLAD (Gruppo di Lavoro dei Delegati) Working Group (A1c delegates WG), Mosca A, Iafusco D, Meschi F, Branca MT, Carta M, Genna ML, Giorda CB, Ghidelli R, Ghislandi G, Lapolla A, Buondonno Lombardi V, Lovagnini CA, Marra M, Medea G, Pizzini A, Rossi F, Scalpone R, Tofini G, Trovati M, Zaninotto M. The implementation of International standardization of glycated hemoglobin. A "red-letter-day" for HbA1c in Italy: 1/1/11 Italian Recommendations of GLAD Working Group (A1c delegates WG). *J Endocrinol Invest*. 2011 May 31. [Epub ahead of print] IF = 1.476
155. Lapolla A, Dalfrà MG, Ragazzi E, De Cata AP, Fedele D. New International Association of the Diabetes and Pregnancy Study Groups (IADPSG) recommendations for diagnosing gestational diabetes compared with former criteria: a retrospective study on pregnancy outcome. *Diabet Med*. 2011 Jun 9. doi: 10.1111/j.1464-5491.2011.03351.x. [Epub ahead of print] IF = 3.036
156. Sartore G, Piarulli F, Ragazzi E, Burlina S, Chillelli NC, Sarais C, Marin R, Manzato E, Fedele D, Lapolla A. Subclinical diastolic dysfunction in type 2 diabetic patients with and without carotid atherosclerosis: Relationship with glyco-oxidation, lipid-oxidation and antioxidant status. *Int J Cardiol*. 2011 Jun 20. [Epub ahead of print] IF = 6.802.

157. Kuenen JC, Borg R, Kuik DJ, Zheng H, Schoenfeld D, Diamant M, Nathan DM, Heine RJ; ADAG Study Group. Does glucose variability influence the relationship between mean plasma glucose and HbA1c levels in type 1 and type 2 diabetic patients? *Diabetes Care*. 2011 Aug;34(8):1843-7. Epub 2011 Jun 23. IF = 7.851
158. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, Nerup J, Borch-Johnsen K, Witte DR; ADAG Study Group. HbA_{1c} and mean blood glucose show stronger associations with cardiovascular disease risk factors than do postprandial glycaemia or glucose variability in persons with diabetes: the A1C-Derived Average Glucose (ADAG) study. *Diabetologia*. 2011 Jan;54(1):69-72. Epub 2010 Oct 1. IF=6.814
159. Dalfrà MG, Sartore G, DiCianni G, Mello G, Lencioni C, Ottanelli S, Sposato J, Valgimigli F, Scuffi C, Scalse M, Lapolla A. Glucose variability in diabetic pregnancy. *Diabetes Technology & therapeutics* 13 (8): 853-859, 2011, IF = 1.931
160. D Bruttomesso, M Bonomo, S Costa, M Dal Pos, G DiCianni, F Pellicano, E Vitacolonna, AR Dodesini, L Tonutti, A Lapolla, A DiBenedetto, E Torlone, . Type 1 diabetes control and pregnancy outcomes in women treated with continuous subcutaneous insulin infusion (CSII) or with insulin glargine and multiple daily injections of rapid-acting insulin analogues (glargine-MDI). *Diabetes & Metabolism* doi:101016/j.diabet.2011.02.002. IF = 2,724
161. Lapolla A, Molin L, Seraglia R, Sechi A, Cosma C, Bonfante L, Chilelli NC, Ragazzi E, Traldi P. Urinary peptides as a diagnostic tool for renal failure detected by matrix-assisted laser desorption/ionisation mass spectrometry: an evaluation of their clinical significance. *Eur J Mass Spectrom (Chichester, Eng)*. 2011;17(3):245-53. IF = 1.103
162. Perriello G, Caputo S, De Pergola G, Di Carlo A, Grassi G, Lapolla A, Pata P, Solerte SB, Zaccardi F. Improved glycemic control with weight loss and a low risk of hypoglycemia with insulin detemir: insights from the Italian cohort of the PREDICTIVE study after 6-month observation in type 2 diabetic subjects. *Expert Opin Pharmacother*. 2011 Nov;12(16):2449-55. Erratum in: *Expert Opin Pharmacother*. 2011 Dec;12(17):2765. IF = 3.205
163. Buckley BS, Harreiter J, Damm P, Corcoy R, Chico A, Simmons D, Vellinga A, Dunne F; DALI Core Investigator Group. Gestational diabetes mellitus in Europe: prevalence, current screening practice and barriers to screening. A review. *Diabet Med*. 2012 Jul;29(7):844-54. doi: 10.1111/j.1464-5491.2011.03541.x. IF = 3.036
164. Menini S, Iacobini C, Ricci C, Scipioni A, Blasetti Fantauzzi C, Giaccari A, Salomone E, Canevotti R, Lapolla A, Orioli M, Aldini G, Pugliese G. D-Carnosine octylester attenuates atherosclerosis and renal disease in ApoE null mice fed a Western diet through reduction of carbonyl stress and inflammation. *Br J Pharmacol*. 2012 Jun;166(4):1344-56. doi: 10.1111/j.1476-5381.2012.01834.x. IF = 4.409
165. Dalfrà MG, Busetto L, Chilelli NC, Lapolla A. Pregnancy and foetal outcome after bariatric surgery: a review of recent studies. *J Matern Fetal Neonatal Med*. 2012 Sep;25(9):1537-43. doi: 10.3109/14767058.2012.663829. Epub 2012 Mar 16. IF = 1.495
166. Sartore G, Chilelli NC, Burlina S, Stefano PD, Piarulli F, Fedele D, Mosca A, Lapolla A. The importance of HbA1c and glucose variability in patients with type 1 and type 2 diabetes: outcome of continuous glucose monitoring (CGM). *Acta Diabetol*. 2012 Apr 1. [Epub ahead of print] IF = 2.784
167. Valentini R, Dalfrà MG, Masin M, Barison A, Marialisa M, Pegoraro E, Lapolla A. A pilot study on dietary approaches in multiethnicity: two methods compared. *Int J Endocrinol*. 2012;2012:985136. Epub 2012 Mar 15. IF = 1.867
168. Sechi A, Deroma L, Lapolla A, Paci S, Melis D, Burlina A, Carubbi F, Rigoldi M, Di Rocco M. Fertility and pregnancy in women affected by glycogen storage disease type I, results of a multicenter Italian study. *J Inherit Metab Dis*. 2012 May 5. [Epub ahead of print] IF = 3.577
169. Lapolla A, Di Cianni G, Di Benedetto A, Franzetti I, Napoli A, Sciacca L, Torlone E, Tonutti L, Vitacolonna E, Mannino D. Quality of Life, Wishes, and Needs in Women with Gestational Diabetes: Italian DAWN Pregnancy Study. *Int J Endocrinol*. 2012;2012:784726. Epub 2012 Apr 26. IF = 1.867
170. Vitacolonna E, Lapolla A, Di Nenno B, Passante A, Bucci I, Giuliani C, Cerrone D, Capani F, Monaco F, Napolitano G. Gestational diabetes and thyroid autoimmunity. *Int J Endocrinol*. 2012;2012:867415. Epub 2012 May 13. IF = 1.867
171. Lapolla A, Porcu S, Traldi P. Mass spectrometry for diabetic nephropathy monitoring: new effective tools for physicians. *ISRN Endocrinol*. 2012;2012:768159. Epub 2012 May 20. IF = 2.000

172. ORIGIN Trial Investigators, Bosch J, Gerstein HC, Dagenais GR, Díaz R, Dyal L, Jung H, Maggiono AP, Probstfield J, Ramachandran A, Riddle MC, Rydén LE, Yusuf S. n-3 fatty acids and cardiovascular outcomes in patients with dysglycemia. *N Engl J Med*. 2012 Jul 26;367(4):309-18. doi: 10.1056/NEJMoa1203859. Epub 2012 Jun 11. IF = 47.050
173. ORIGIN Trial Investigators, Bosch J, Gerstein HC, Dagenais GR, Díaz R, Dyal L, Jung H, Maggiono AP, Probstfield J, Ramachandran A, Riddle MC, Rydén LE, Yusuf S. Basal insulin and cardiovascular and other outcomes in dysglycemia. *N Engl J Med*. 2012 Jul 26;367(4):319-28. doi: 10.1056/NEJMoa1203858. Epub 2012 Jun 11. IF = 47.050
174. Piarulli F, Sartore G, Lapolla A. Glyco-oxidation and cardiovascular complications in type 2 diabetes: a clinical update. *Acta Diabetol*. 2012 Jul 5. [Epub ahead of print] IF = 2,784
175. Molin L, Seraglia R, Lapolla A, Ragazzi E, Gonzalez J, Vlahou A, Schanstra JP, Albalat A, Dakna M, Siwy J, Jankowski J, Bitsika V, Mischak H, Zürbig P, Traldi P. A comparison between MALDI-MS and CE-MS data for biomarker assessment in chronic kidney diseases. *J Proteomics*. 2012 Oct 22;75(18):5888-97. doi: 10.1016/j.jprot.2012.07.024. Epub 2012 Jul 26. IF = 4.878
176. Lapolla A, Chilelli NC. Role of glycemic variability in gestational diabetes mellitus (GDM): still an uphill climb. *Endocrine*. 2012 Sep 28. [Epub ahead of print] No abstract available. IF = 1.416
- 177 Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, Maggioni AP, Mocarelli P, Nicolucci A, Rivellese AA, Squatrito S, Riccardi G; On behalf of the TOSCA.IT study group (Thiazolidinediones Or Sulphonylureas and Cardiovascular Accidents. Intervention Trial). Addition of either pioglitazone or a sulphonylurea in type 2 diabetic patients inadequately controlled with metformin alone: Impact on cardiovascular events. A randomized controlled trial. *Nutr Metab Cardiovasc Dis*. 2012 Nov;22(11):997-1006. IF= 3.731
- 178 Piarulli F, Lapolla A, Ragazzi E, Susana A, Sechi A, Nollino L, Cosma C, Fedele D, Sartore G. Role of endogenous secretory RAGE (esRAGE) in defending against plaque formation induced by oxidative stress in type 2 diabetic patients. *Atherosclerosis*. 2013 Jan;226(1):252-7. doi: 10.1016/j.atherosclerosis.2012.10.050. Epub 2012 Nov 9. IF= 3.994
- 179 Mosca A, Lapolla A, Gillery P. Glycemic control in the clinical management of diabetic patients. *Clin Chem Lab Med*. 2013 Apr;51(4):753-66. doi: 10.1515/cclm-2012-0594. IF=2.995
- 180 Savona-Ventura C, Vassallo J, Marre M, Karamanos BG; MGSD-GDM study group. A composite risk assessment model to screen for gestational diabetes mellitus among Mediterranean women. *Int J Gynaecol Obstet*. 2013 Mar;120(3):240-4. doi: 10.1016/j.ijgo.2012.10.016. Epub 2012 Dec 29 IF=1.537
- 181 Seraglia R, Sartore G, Marin R, Burlina S, Manzato E, Ragazzi E, Traldi P, Lapolla A. An effective and rapid determination by MALDI/TOF/TOF of methionine sulphoxide content of ApoA-I in type 2 diabetic patients. *Mass Spectrom*. 2013 Jan;48(1):105-10. doi: 10.1002/jms.3113 . IF= 2,379
- 182 Sartore G, Chilelli NC, Burlina S, Lapolla A. Association between glucose variability as assessed by continuous glucose monitoring (CGM) and diabetic retinopathy in type 1 and type 2 diabetes. *Acta Diabetol*. 2013 Jun;50(3):437-42. doi: 10.1007/s00592-013-0459-9. Epub 2013 Feb 16. IF=2.399
- 183 Lapolla A, Molin L, Traldi P. Protein glycation in diabetes as determined by mass spectrometry. *Int J Endocrinol*. 2013;2013:412103. doi: 10.1155/2013/412103. Epub 2013 Mar 13. IF=1.948
- 184 Savona-Ventura C, Marre M, Vassallo J, Karamanos B; MGSD-GDM study group. Obstetric adiposity in the Mediterranean region. *Int J Gynaecol Obstet*. 2013 Jul;122(1):80-1. doi: 10.1016/j.ijgo.2013.02.021. Epub 2013 Apr 9 IF=1.537
- 185 Bonsembiante B, Dalfrà MG, Masin M, Gallo A, Lapolla A. Adult-onset type 1 diabetes and pregnancy: three case reports. *Case Rep Med*. 2013;2013:920861. doi: 10.1155/2013/920861.
- 186 Chilelli NC, Burlina S, Lapolla A. AGEs, rather than hyperglycemia, are responsible for microvascular complications in diabetes: a "glycooxidation-centric" point of view. *Nutr Metab Cardiovasc Dis*. 2013 Oct;23(10):913-9. doi: 10.1016/j.numecd.2013.04.004. IF= 3.323

- 187 Jelsma JG, van Poppel MN, Galjaard S, Desoye G, Corcoy R, Devlieger R, van Assche A, Timmerman D, Jans G, Harreiter J, Kautzky-Willer A, Damm P, Mathiesen ER, Jensen DM, Andersen L, Dunne F, Lapolla A, Di Cianni G, Bertolotto A, Wender-Oegowska E, Zawiejska A, Blumska K, Hill D, Rebollo P, Snoek FJ, Simmons D. DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial - study protocol. *BMC Pregnancy Childbirth*. 2013 Jul 5;13:142. doi: 10.1186/1471-2393-13-142. IF=2.190
- 188 Karamanos B, Thanopoulou A, Anastasiou E, Assaad-Khalil S, Albache N, Bachaoui M, Slama CB, El Ghomari H, Jotic A, Lalic N, Lapolla A, Saab C, Marre M, Vassallo J, Savona-Ventura C; MGSD-GDM Study Group. Relation of the Mediterranean diet with the incidence of gestational diabetes. *Eur J Clin Nutr*. 2014 Jan;68(1):8-13. doi: 10.1038/ejcn.2013.177. IF=2.709
- 189 Lapolla A, Porcu S, Roverso M, Desoye G, Cosma C, Nardelli GB, Bogana G, Carrozzini M, Traldi P. A preliminary investigation on placenta protein profile reveals only modest changes in well controlled gestational diabetes mellitus. *Eur J Mass Spectrom (Chichester, Eng)*. 2013;19(3):211-23. IF=1.000
- 190 Dalfrà MG, Chilelli NC, Di Cianni G, Mello G, Lencioni C, Biagioni S, Scalse M, Sartore G, Lapolla A. Glucose Fluctuations during Gestation: An Additional Tool for Monitoring Pregnancy Complicated by Diabetes. *Int J Endocrinol*. 2013;2013:279021. doi: 10.1155/2013/279021. IF=1.948
- 191 Sechi A, Deroma L, Paci S, Lapolla A, Carubbi F, Burlina A, Rigoldi M, Di Rocco M. Quality of life in adult patients with glycogen storage disease type I: results of a multicenter italian study. *JIMD Rep*. 2014;14:47-53. doi: 10.1007/8904_2013_283. IF=3.365
- 192 De Cosmo S, Rossi MC, Pellegrini F, Lucisano G, Bacci S, Gentile S, Ceriello A, Russo G, Nicolucci A, Giorda C, Viazi F, Pontremoli R; AMD-Annals Study Group. Kidney dysfunction and related cardiovascular risk factors among patients with type 2 diabetes. *Nephrol Dial Transplant*. 2014 Mar;29(3):657-62. IF=3.577
- 193 Sartore G, Burlina S, Ragazzi E, Ferrareso S, Valentini R, Lapolla A. Mediterranean Diet and Red Yeast Rice Supplementation for the Management of Hyperlipidemia in Statin-Intolerant Patients with or without Type 2 Diabetes. *Evid Based Complement Alternat Med*. 2013;2013:743473. doi: 10.1155/2013/743473. IF=1.880
- 194 Chilelli NC, Burlina S, Sartore G, Lapolla A. Between reduction of glucose fluctuations and increased therapeutic adherence: an example of the benefits of vildagliptin in an elderly diabetic patient. *Aging Clin Exp Res*. 2015 Feb;27(1):85-7. doi: 10.1007/s40520-014-0235-x. IF=1.215
- 195 Roverso M, Lapolla A, Cosma C, Seraglia R, Galvan E, Visentin S, Cosmi E, Desoye G, Traldi P. Some preliminary matrix-assisted laser desorption/ionization imaging experiments on maternal and fetal sides of human placenta. *Eur J Mass Spectrom (Chichester, Eng)*. 2014;20(3):261-9. IF=1.000
- 196 Visentin S, Lapolla A, Londero AP, Cosma C, Dalfrà M, Camerin M, Faggian D, Plebani M, Cosmi E. Adiponectin levels are reduced while markers of systemic inflammation and aortic remodelling are increased in intrauterine growth restricted mother-child couple. *Biomed Res Int*. 2014;2014:401595. doi: 10.1155/2014/401595. IF=1.579
- 197 Chilelli NC, Sartore G, Lapolla A. Focusing on potential sources of glucose fluctuations in type 1 and type 2 diabetes: which kind of patient, what kind of glycemic variability and which confounding factors? *Diabetes Res Clin Pract*. 2014 Oct;106(1):e1-2. doi: 10.1016/j.diabres.2014.07.011 IF=2.538
- 198 Chilelli NC, Cosma C, Ragazzi E, Burlina S, Zaninotto M, Plebani M, Lapolla A. Screening with HbA1c identifies only one in two individuals with diagnosis of prediabetes at oral glucose tolerance test: findings in a real-world Caucasian population. *Acta Diabetol*. 2014 Oct;51(5):875-82. doi: 10.1007/s00592-014-0639-2 IF=2.399
- 199 Chilelli NC, Dalfrà MG, Lapolla A. The emerging role of telemedicine in managing glycemic control and psychobehavioral aspects of pregnancy complicated by diabetes. *Int J Telemed Appl*. 2014;2014:621384. doi: 10.1155/2014/621384.
- 200 Machado-Lima A, Iborra RT, Pinto RS, Castilho G, Sartori CH, Oliveira ER, Okuda LS, Nakandakare ER, Giannella-Neto D, Machado UF, Corrêa-Giannella ML, Traldi P, Porcu S, Roverso M, Lapolla A, Passarelli M. In type 2 diabetes mellitus glycated albumin alters macrophage gene expression impairing ABCA1-mediated cholesterol efflux. *J Cell Physiol*. 2015 Jun;230(6):1250-7. doi: 10.1002/jcp.24860. IF=3.839

- 201 Porcu S, Lapolla A, Biasutto L, Zoratti M, Piarulli F, Eliana G, Basso D, Roverso M, Seraglia R. A preliminary fastview of mitochondrial protein profile from healthy and type 2 diabetic subjects. *Eur J Mass Spectrom* (Chichester, Eng). 2014;20(4):307-15. IF=1.000
- 202 Bruttomesso D, Laviola L, Lepore G, Bonfanti R, Bozzetto L, Corsi A, Di Blasi V, Girelli A, Grassi G, Iafusco D, Rabbone I, Schiaffini R; Italian Study Group on Diffusion of CSII. Continuous subcutaneous insulin infusion in Italy: third national survey. *Diabetes Technol Ther*. 2015 Feb;17(2):96-104. doi: 10.1089/dia.2014.0242 IF=2.106
- 203 Porcu S, Lapolla A, Biasutto L, Zoratti M, Piarulli F, Eliana G, Basso D, Roverso M, Seraglia R. A preliminary fastview of mitochondrial protein profile from healthy and type 2 diabetic subjects. *Eur J Mass Spectrom* (Chichester, Eng). 2014;20(4):307-15. IF=1.000
- 204 Lapolla A, Frison V, Bettio M, Dal Pos M, Rocchini P, Panebianco G, Tadiotto F, Da Tos V, D'Ambrosio M, Marangoni A, Ferrari M, Pianta A, Balzano S, Confortin L, Lamonica M, Marin N, Strazzabosco M, Brun E, Mesturino CA, Simoncini M, Zen F, Bax G, Bonsembiante B, Cardone C, Dal Frà MG, Gallo A, Masin M, Piarulli F, Sartore G, Simioni N. Correlation between baseline characteristics and clinical outcomes in a large population of diabetes patients treated with liraglutide in a real-world setting in Italy. *Clin Ther*. 2015 Mar 1;37(3):574-84. doi: 10.1016/j.clinthera.2014.11.015. Epub 2015 Jan 24 IF 2.731
- 205 Sartore G, Seraglia R, Burlina S, Bolis A, Marin R, Manzato E, Ragazzi E, Traldi P, Lapolla A. High-density lipoprotein oxidation in type 2 diabetic patients and young patients with premature myocardial infarction. *Nutr Metab Cardiovasc Dis*. 2015 Apr;25(4):418-25. doi: 10.1016/j.numecd.2014.12.004. Epub 2014 Dec 19. IF=3.323
- 206 Dalfrà MG, Soldato A, Moghetti P, Lombardi S, Vinci C, De Cata AP, Romanelli T, Bonomo M, Sciacca L, Tata F, Ragazzi E, Filippi A, Burlina S, Lapolla A. Diabetic pregnancy outcomes in mothers treated with basal insulin lispro protamine suspension or NPH insulin: a multicenter retrospective Italian study. *J Matern Fetal Neonatal Med*. 2015 Apr 28;1-5. IF=1.367
- 207 Roverso M, Berté C, Di Marco V, Lapolla A, Badocco D, Pastore P, Visentin S, Cosmi E. The metallome of the human placenta in gestational diabetes mellitus. *Metallomics*. 2015 Jul;7(7):1146-54. IF=3.585
- 208 Simmons D, Jelsma JG, Galjaard S, Devlieger R, van Assche A, Jans G, Corcoy R, Adelantado JM, Dunne F, Desoye G, Harreiter J, Kautzky-Willer A, Damm P, Mathiesen ER, Jensen DM, Andersen LL, Lapolla A, Dalfrà M, Bertolotto A, Wender-Ozegowska E, Zawiejska A, Hill D, Rebollo P, Snoek FJ, van Poppel MN. Results From a European Multicenter Randomized Trial of Physical Activity and/or Healthy Eating to Reduce the Risk of Gestational Diabetes Mellitus: The DALI Lifestyle Pilot. *Diabetes Care*. 2015 Sep;38(9):1650-6. doi: 10.2337/dc15-0360. IF=8.420
- 209 de Wit L, Jelsma JG, van Poppel MN, Bogaerts A, Simmons D, Desoye G, Corcoy R, Kautzky-Willer A, Harreiter J, van Assche A, Devlieger R, Timmerman D, Hill D, Damm P, Mathiesen ER, Wender-Ozegowska E, Zawiejska A, Rebollo P, Lapolla A, Dalfrà MG, Del Prato S, Bertolotto A, Dunne F, Jensen DM, Andersen L, Snoek FJ. Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. *BMC Pregnancy Childbirth*. 2015 Jul 31;15:158. doi: 10.1186/s12884-015-0595-z. IF=2,190
- 210 Vitale M, Masulli M, Rivellese AA, Babini AC, Boemi M, Bonora E, Buzzetti R, Ciano O, Cignarelli M, Cigolini M, Clemente G, Citro G, Corsi L, Dall'Aglio E, Del Prato S, Di Cianni G, Dolci MA, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Leotta S, Mazzucchelli C, Montani V, Perriello G, Romano G, Romeo F, Santarelli L, di Cola RS, Squatrito S, Tonutti L, Trevisan R, Turco AA, Zamboni C, Riccardi G, Vaccaro O. Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes-The TOSCA.IT Study. *Eur J Nutr*. 2015 Aug 25. IF=3.467
- 211 Traldi P, Castilho G, Sartori CH, Machado-Lima A, Nakandakare ER, Corrêa-Giannella ML, Roverso M, Porcu S, Lapolla A, Passarelli M. Glycated human serum albumin isolated from poorly controlled diabetic patients impairs cholesterol efflux from macrophages: an investigation by mass spectrometry. *Eur J Mass Spectrom* (Chichester, Eng). 2015;21(3):233-44. IF=1.000
- 212 Avemaria F, Carrera P, Lapolla A, Sartore G, Chillelli NC, Paleari R, Ambrosi A, Ferrari M, Mosca A. Possible role of fructosamine 3-kinase genotyping for the management of diabetic patients. *Clin Chem Lab Med*. 2015 Aug 1;53(9):1315-20. IF= 2.707
- 213 Dalfrà MG, Burlina S, Sartore G, Lapolla A. Ketoacidosis in diabetic pregnancy. *J Matern Fetal Neonatal Med*. 2016 Sep;29(17):2889-95 IF= 1.826

- 214 Lapolla A, Dalfrà MG, Romoli E, Bonomo M, Moghetti P. Use of Insulin Lispro Protamine Suspension in Pregnancy. *Adv Ther*. 2015 Oct;32(10):888-905 IF= 2.709
- 215 Jelsma JG, van Leeuwen KM, Oostdam N, Bunn C, Simmons D, Desoye G, Corcoy R, Adelantado JM, Kautzky-Willer A, Harreiter J, van Assche FA, Devlieger R, Timmerman D, Hill D, Damm P, Mathiesen ER, Wender-Ozegowska E, Zawiejska A, Rebollo P, Lapolla A, Dalfrà MG, Del Prato S, Bertolotto A, Dunne F, Jensen DM, Andersen LL, Snoek FJ, van Poppel MN. Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. *J Pregnancy*. 2016;2016:3435791. IF= N/A
- 216 Harreiter J, Simmons D, Desoye G, Corcoy R, Adelantado JM, Devlieger R, van Assche A, Galjaard S, Damm P, Mathiesen ER, Jensen DM, Andersen LL, Dunne F, Lapolla A, Dalfrà MG, Bertolotto A, Mantaj U, Wender-Ozegowska E, Zawiejska A, Hill D, Jelsma JG, Snoek FJ, Worda C, Bancher-Todesca D, van Poppel MN, Kautzky-Willer A; DALI Core Investigator group. IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy. *Diabetes Care*. 2016 Jul;39(7):e90-2. IF= 11.857
- 217 Roverso M, Brioschi M, Banfi C, Visentin S, Burlina S, Seraglia R, Traldi P, Lapolla A. A preliminary study on human placental tissue impaired by gestational diabetes: a comparison of gel-based versus gel-free proteomics approaches. *Eur J Mass Spectrom (Chichester)*. 2016;22(2):71-82. IF= 1.022
- 218 Burlina S, Dalfrà MG, Barison A, Marin R, Ragazzi E, Sartore G, Lapolla A. Plasma phospholipid fatty acid composition and desaturase activity in women with gestational diabetes mellitus before and after delivery. *Acta Diabetol*. 2017 Jan;54(1):45-51 IF= 3.340
- 219 Chilelli NC, Cremasco D, Cosma C, Ragazzi E, Francini Pesenti F, Bonfante L, Lapolla A. Effectiveness of a diet with low advanced glycation end products, in improving glycoxidation and lipid peroxidation: a long-term investigation in patients with chronic renal failure. *Endocrine*. 2016 Nov;54(2):552-555. IF= 3.131
- 220 Chilelli NC, Ragazzi E, Valentini R, Cosma C, Ferraresso S, Lapolla A, Sartore G. Curcumin and Boswellia serrata Modulate the Glyco-Oxidative Status and Lipo-Oxidation in Master Athletes. *Nutrients*. 2016 Nov 21;8(11). pii: E745. IF= 3.550
- 221 Vitale M, Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, Nicolucci A, Squatrito S, Auciello S, Babini AC, Bani L, Buzzetti R, Cannarsa E, Cignarelli M, Cigolini M, Clemente G, Coccozza S, Corsi L, D'Angelo F, Dall'Aglio E, Di Cianni G, Fontana L, Gregori G, Grioni S, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Laviola L, Mazzucchelli C, Signorini S, Tonutti L, Trevisan R, Zamboni C, Riccardi G, Rivellese AA; TOSCA.IT Study Group. Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study. *Clin Nutr*. 2016 Nov 14. pii: S0261-5614(16)31316-4. IF= 4.548
- 222 Simmons D, Devlieger R, van Assche A, Jans G, Galjaard S, Corcoy R, Adelantado JM, Dunne F, Desoye G, Harreiter J, Kautzky-Willer A, Damm P, Mathiesen ER, Jensen DM, Andersen L, Lapolla A, Dalfrà MG, Bertolotto A, Wender-Ozegowska E, Zawiejska A, Hill D, Snoek FJ, Jelsma JG, van Poppel MN. Effect of physical activity and/or healthy eating on GDM risk: The DALI Lifestyle Study. *J Clin Endocrinol Metab*. 2016 Dec 9;jc20163455 IF= 5.455
- 223 Burlina S, Dalfrà MG, Chilelli NC, Lapolla A. Gestational Diabetes Mellitus and Future Cardiovascular Risk: An Update. *Int J Endocrinol*. 2016;2016:2070926. IF= 2.510
- 224 Vitale M, Masulli M, Rivellese AA, Bonora E, Cappellini F, Nicolucci A, Squatrito S, Antenucci D, Barrea A, Bianchi C, Bianchini F, Fontana L, Fornengo P, Giorgino F, Gnasso A, Mannucci E, Mazzotti A, Nappo R, Palena AP, Pata P, Perriello G, Potenziani S, Radin R, Ricci L, Romeo F, Santini C, Scarponi M, Serra R, Timi A, Turco AA, Vedovato M, Zavaroni D, Grioni S, Riccardi G, Vaccaro O; TOSCA.IT Study Group. Dietary intake and major food sources of polyphenols in people with type 2 diabetes: The TOSCA.IT Study. *Eur J Nutr*. 2016 Dec 21. IF= 4.370
- 225 Papagrigraki A, Del Giglio M, Cosma C, Maurelli M, Girolomoni G, Lapolla A. Advanced Glycation End Products are Increased in the Skin and Blood of Patients with Severe Psoriasis. *Acta Derm Venereol*. 2017 Mar 30 IF= 3.653
- 226 Chilelli NC, Bax G, Bonaldo G, Ragazzi E, Iafrate M, Zattoni F, Bellavere F, Lapolla A. Lower urinary tract symptoms (LUTS) in males with type 2 diabetes recently treated with SGLT2 inhibitors-overlooked and overwhelming? A retrospective case series. *Endocrine*. 2017 Apr 18. IF= 3.131

- 227 Burlina S, Dalfrà MG, Visentin S, Valentini R, Capovilla F, Lapolla A; Training Experience Group. Team management of gestational diabetes: a training experience. *Acta Diabetol.* 2017 May 26. IF= 3.340
- 228 Lapolla A, Berra C, Boemi M, Bossi AC, Candido R, Di Cianni G, Frontoni S, Genovese S, Ponzani P, Provenzano V, Russo GT, Sciangula L, Simioni N, Bette C, Nicolucci A
Long-Term Effectiveness of Liraglutide for Treatment of Type 2 Diabetes in a Real-Life Setting: A 24-Month, Multicenter, Non-interventional, Retrospective Study.
; NN2211-4118 Study Group.
Adv Ther. 2018 Feb;35(2):243-253
229. Piarulli F, Sartore G, Sechi A, Basso D, Fogar P, Greco E, Ragazzi E, Lapolla A.
Low Glucose Concentrations Induce a Similar Inflammatory Response in Monocytes from Type 2 Diabetic Patients and Healthy Subjects.
Oxid Med Cell Longev. 2017;2017:9185272.
230. Chilelli NC, Cosma C, Burlina S, Plebani M, Lapolla A.
Antioxidant capacity in patients with type 2 diabetes: a preliminary investigation on gender-specific differences in an Italian population.
Clin Chem Lab Med. 2017 Nov 15.
231. Lapolla A, Scibetta D, Gallina P, Iorizzo G, Dalfrà MG, Visentin S, Nardelli GB, Vettor R.
Innovative clinical pathways for obese pregnant women: design and feasibility of the Padua project (North-Eastern Italy).
J Endocrinol Invest. 2017 Nov 7
232. Siegmund T, Tentolouris N, Knudsen ST, Lapolla A, Prager R, Phan TM, Wolden ML, Schultes B; EU-TREAT study group.
A European, multicentre, retrospective, non-interventional study (EU-TREAT) of the effectiveness of insulin degludec after switching basal insulin in a population with type 1 or type 2 diabetes.
Diabetes Obes Metab. 2018 Mar
233. Iacobini C, Menini S, Blasetti Fantauzzi C, Pesce CM, Giaccari A, Salomone E, Lapolla A, Orioli M, Aldini G, Pugliese G.
FL-926-16, a novel bioavailable carnosinase-resistant carnosine derivative, prevents onset and stops progression of diabetic nephropathy in db/db mice.
Br J Pharmacol. 2018 Jan
234. Burlina S, Dalfrà MG, Lapolla A.
Short- and long-term consequences for offspring exposed to maternal diabetes: a review.
J Matern Fetal Neonatal Med. 2017 Oct 16:1-8.
235. Vaccaro O, Masulli M, Nicolucci A, Bonora E, Del Prato S, Maggioni AP, Rivellese AA, Squatrito S, Giorda CB, Sesti G, Mocarelli P, Lucisano G, Sacco M, Signorini S, Cappellini F, Perriello G, Babini AC, Lapolla A, Gregori G, Giordano C, Corsi L, Buzzetti R, Clemente G, Di Cianni G, Iannarelli R, Cordera R, La Macchia O, Zamboni C, Scaranna C, Boemi M, Iovine C, Lauro D, Leotta S, Dall'Aglio E, Cannarsa E, Tonutti L, Pugliese G, Bossi AC, Anichini R, Dotta F, Di Benedetto A, Citro G, Antenucci D, Ricci L, Giorgino F, Santini C, Gnasso A, De Cosmo S, Zavaroni D, Vedovato M, Consoli A, Calabrese M, di Bartolo P, Fornengo P, Riccardi G; Thiazolidinediones Or Sulfonylureas Cardiovascular Accidents Intervention Trial (TOSCA.IT) study group; Italian Diabetes Society
Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial.
Lancet Diabetes Endocrinol. 2017 Nov;5(11):887-897
236. Jelsma JGM, Simmons D, Gobat N, Rollnick S, Blumska K, Jans G, Galjaard S, Desoye G, Corcoy R, Juarez F, Kautzky-Willer A, Harreiter J, van Assche A, Devlieger R, Timmerman D, Hill D, Damm P, Mathiesen ER, Wender-Ożegowska E, Zawiejska A, Lapolla A, Dalfrà MG, Del Prato S, Bertolotto A, Dunne F, Jensen DM, Andersen L, Snoek FJ, van Poppel MNM.
Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study.
BMC Pregnancy Childbirth. 2017 Sep 7;17(1):293.
237. Jelsma JGM, Simmons D, Gobat N, Rollnick S, Blumska K, Jans G, Galjaard S, Desoye G, Corcoy R, Juarez F, Kautzky-Willer A, Harreiter J, van Assche A, Devlieger R, Timmerman D, Hill D, Damm P, Mathiesen ER, Wender-

Ozegowska E, Zawiejska A, Lapolla A, Dalfrà MG, Del Prato S, Bertolotto A, Dunne F, Jensen DM, Andersen L, Snoek FJ, van Poppel MNM.

Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study.

BMC Pregnancy Childbirth. 2017 Sep 7;17(1):293.

238. Egan AM, Vellinga A, Harreiter J, Simmons D, Desoye G, Corcoy R, Adelantado JM, Devlieger R, Van Assche A, Galjaard S, Damm P, Mathiesen ER, Jensen DM, Andersen L, Lapolla A, Dalfrà MG, Bertolotto A, Mantaj U, Wender-Ozegowska E, Zawiejska A, Hill D, Jelsma JGM, Snoek FJ, Worda C, Bancher-Todesca D, van Poppel MNM, Kautzky-Willer A, Dunne FP; DALI Core Investigator group.

Epidemiology of gestational diabetes mellitus according to IADPSG/WHO 2013 criteria among obese pregnant women in Europe.

Diabetologia. 2017 Oct;60(10):1913-1921.

239. Vujosevic S, Pucci P, Casciano M, Daniele A, Bini S, Berton M, Cavarzeran F, Avogaro A, Lapolla A, Midena E. A decade-long telemedicine screening program for diabetic retinopathy in the north-east of Italy.

J Diabetes Complications. 2017 Aug;

240. Simmons D, Devlieger R, van Assche A, Jans G, Galjaard S, Corcoy R, Adelantado JM, Dunne F, Desoye G, Harreiter J, Kautzky-Willer A, Damm P, Mathiesen ER, Jensen DM, Andersen L, Lapolla A, Dalfrà MG, Bertolotto A, Wender-Ozegowska E, Zawiejska A, Hill D, Snoek FJ, Jelsma JG, van Poppel MN.

Effect of Physical Activity and/or Healthy Eating on GDM Risk: The DALI Lifestyle Study.

J Clin Endocrinol Metab. 2017 Mar 1;102(3):903-913

241. Vitale M, Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, Nicolucci A, Squatrito S, Auciello S, Babini AC, Bani L, Buzzetti R, Cannarsa E, Cignarelli M, Cigolini M, Clemente G, Coccozza S, Corsi L, D'Angelo F, Dall'Aglio E, Di Cianni G, Fontana L, Gregori G, Grioni S, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Laviola L, Mazzucchelli C, Signorini S, Tonutti L, Trevisan R, Zamboni C, Riccardi G, Rivellese AA; TOSCA.IT Study Group

Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study.

Clin Nutr. 2017 Dec;36(6):1686-1692.

242. Burlina S, Dalfrà MG, Barison A, Marin R, Ragazzi E, Sartore G, Lapolla A.

Plasma phospholipid fatty acid composition and desaturase activity in women with gestational diabetes mellitus before and after delivery.

Acta Diabetol. 2017 Jan;54(1):45-51.

243. Harreiter J, Simmons D, Desoye G, Corcoy R, Adelantado JM, Devlieger R, van Assche A, Galjaard S, Damm P, Mathiesen ER, Jensen DM, Andersen LL, Dunne F, Lapolla A, Dalfrà MG, Bertolotto A, Mantaj U, Wender-Ozegowska E, Zawiejska A, Hill D, Jelsma JG, Snoek FJ, Worda C, Bancher-Todesca D, van Poppel MN, Kautzky-Willer A; DALI Core Investigator group.

IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy.

Diabetes Care. 2016 Jul;39(7):e90-2.

244. Vitale M, Masulli M, Rivellese AA, Babini AC, Boemi M, Bonora E, Buzzetti R, Ciano O, Cignarelli M, Cigolini M, Clemente G, Citro G, Corsi L, Dall'Aglio E, Del Prato S, Di Cianni G, Dolci MA, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Leotta S, Mazzucchelli C, Montani V, Perriello G, Romano G, Romeo F, Santarelli L, di Cola RS, Squatrito S, Tonutti L, Trevisan R, Turco AA, Zamboni C, Riccardi G, Vaccaro O.

Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes-The TOSCA.IT Study.

Eur J Nutr. 2016 Jun;55(4):1645-51.

245. Dalfrà MG, Soldato A, Moghetti P, Lombardi S, Vinci C, De Cata AP, Romanelli T, Bonomo M, Sciacca L, Tata F, Ragazzi E, Filippi A, Burlina S, Lapolla A.

Diabetic pregnancy outcomes in mothers treated with basal insulin lispro protamine suspension or NPH insulin: a multicenter retrospective Italian study.

J Matern Fetal Neonatal Med. 2016;29(7):1061-5.

246. Fedele P, Orlando L, Schiavone P, Quaranta A, Lapolla AM, De Pasquale M, Ardizzone A, Bria E, Sperduti I, Calvani N, Marino A, Caliolo C, Mazzoni E, Cinieri S.

BMI variation increases recurrence risk in women with early-stage breast cancer.

Future Oncol. 2014 Dec;10(15):2459-68.

247. Chilelli NC, Dalfrà MG, Lapolla A.

The emerging role of telemedicine in managing glycemic control and psychobehavioral aspects of pregnancy complicated by diabetes.

Int J Telemed Appl. 2014;2014:621384.

248. Sartore G, Burlina S, Ragazzi E, Ferrareso S, Valentini R, Lapolla A.

Mediterranean Diet and Red Yeast Rice Supplementation for the Management of Hyperlipidemia in Statin-Intolerant Patients with or without Type 2 Diabetes.

Evid Based Complement Alternat Med. 2013