

**Elenco complessivo delle Pubblicazioni scientifiche a stampa della
prof Maria Luigia Randi (Padova)**

- Girolami A, Cella G, Dal Bo Zanon R, Cappellato G, **RANDI ML**: Aspirin and bleeding time. Lancet 1979;ii:205-206
- Fabris F, Casonato A, **RANDI ML**, Girolami A: Plasma and platelet beta-thromboglobulin in patients with May-Hegglin anomaly. Haemostasis 1980;9:126-130
- Girolami A, **RANDI ML**, Casonato A, Pasini L, Boccato C, Fabris F: A study on platelet function and morphology in a new family with May-Hegglin anomaly. Folia Hematol 1980;107:256-268
- Girolami A, Casonato A, **RANDI ML**, DeMarco L, Molaro G: Normal platelet adhesiveness and aggregation in congenital PTA or Hageman Factor deficiency. Folia Hematol 1980;107:487-491
- Fabris F, **RANDI ML**, Casonato A, Ragazzi R, Egloff C, Girolami A: Variazioni degli aggregati piastrinici, del tempo di eparin-trombina e di altri parametri coagulativi in coronaropatici dopo prova da sforzo con cicloergometro. Progresso Medico 1980;36:1-8
- Fabris F, **RANDI ML** Casonato A, Belloni M, Ongaro G, Girolami A: Platelet aggregation and thrombopheresis in thrombocythemia. Thromb. Haemostas. 1980;4:169
- Girolami A, Fabris F, Casonato A, **RANDI ML**: Increased number of pseudodrumsticks in neutrophils and large platelets. A "new" congenital leukocyte and platelet morphological abnormality. Acta Haematol. 1980;64:324-330
- Fabris F, Casonato A, **RANDI ML**, Girolami A: In vitro and in vivo effects of Ditazol on human platelets malonylaldehyde (MDA) production. Folia Hematol 1981;108:433-438
- RANDI ML**, Fabris F, Casonato A, Girolami A: The effect of anticoagulant mixtures on beta-thromboglobulin and PF4 levels. Thromb. Haemostas. 1981;46:569
- Fabris F, **RANDI ML**, Sbrojavacca R, Casonato A, Girolami A: The possible value of platelet aggregation studies in patients with increased platelet number. Blut 1981;43:279-285
- Fabris F, Belloni M, Casonato A, **RANDI ML**, Ongaro G, Girolami A: Improvement of platelet aggregation abnormalities in thrombocytosis after thrombocytopheresis. Folia Haematol. 1981;108:853-867
- Girolami A, Schivazappa L, Fabris F, **RANDI ML**: Biphasic sulphinpyrazone -warfarin interaction. Brit.Med.J. 1981;283:1338
- Fabris F, Cella G, **RANDI ML**, Casonato A, Fussi F, Girolami A: The effect of heparins on platelet release reaction. In: Heparin. New biochemical and medical aspects. Ed. Witt I., 1982,p 207-225
- Fabris F, Casonato A, **RANDI ML**, Varotto L, Scandellari C, Girolami A: ⁷⁵Se-methionine platelet survival studies: a proposal for a mathematical correction of the curve. Haemostasis 1982;11:102-108

-Girolami A, Fabris F, Casonato A, **RANDI ML**: Potentiation of anticoagulant response to warfarin by sulphinyprazone: a double blind study in patients with prosthetic heart valves. Clin.Lab.Haematol. 1982;4:23-26

-Fabris F, **RANDI ML**, Casonato A, Scattolo N, Girolami A: Platelet serotonin and platelet aggregation in the differential diagnosis of thrombocytosis. Thromb. Haemostas. 1982;48:343

-Fabris F, Casonato A, **RANDI ML**, Schivazappa L, Schiavinato L, Girolami A: Failure of sulphinyprazone to affect survival in patients with rheumatic hart valvular disease: a double blind study using 75Se-methionine labeld platelets. Folia Hematol 1983;110:594-601

-Fabris F, Opocher G, Casonato A, **RANDI ML**, Girolami A, Mantero F: Abnormal platelet aggregation in patients with Bartter' s syndrome. In: Prostaglandins and the kidney. Biochemistry, Physiology, Pharmacology and Clinical applications. NY 1983. Eds Dunn MJ, Patrono C and Cinotti GA pag 365-375

-Fabris F, Fussi F, Casonato A, Visentin L, **RANDI ML**, Smith MR, Girolami A: Normal and low molecular weight heparins: interaction with human platelets. Eur J Clin Invest 1983;13:135-139

-Fabris F, **RANDI ML**, Casonato A, Luzzatto G, Mazzucato M, Girolami A: The significance of plasma and/or platelet activated products after apheresis procedures. Thromb Haemostas 1983;50:620

-Fabris F, **RANDI ML**, Crociani ME, Manzoni S, Tonin P, De Zanche L, Cella G, Girolami A: Platelet specific porteins in patients with transient ischemic attacks. La Ricerca 1983;13:437-442

-Fabris F, **RANDI ML**, Casonato A, Dal Bo Zanon R, Bonvicini P, Girolami A: Clinical significance of beta-thromboglobulin in patients with high platelet count. Acta Haematol. 1984;71:32-39

-**RANDI ML**, Fabris F, Casonato A, Scattolo N, Cella G, Girolami A: The effect of increasing heparin doses and of heparinoid on platelet factor 4 (PF4) release in normal subjects. Haematologica 1984;69:141-147

-Fabris F, Casonato A, **RANDI ML**, Belloni M, Quaino V, Ongaro G, Girolami A: Effect of heparin and aspirin on platelet clotting activation during leukapheresis. Eur J Clin Invest. 1985;15:188-191

-**RANDI ML**, Fabris F, Crociani ME, Battocchio F, Girolami A: Effects of ticlopidine on blood fibrinogen and blood viscosity in peripheral atherosclerotic disease. Arzneimittel-Forsch Drug Res 1985;35:1-9

-**RANDI ML**, Fabris F, Varotto L, Peverelli P, Girolami A: The effect of different doses of 32P in the treatment of primary thrombocytosis. Folia Hematol 1985;112:950-956

-Fabris F, **RANDI ML**, Casonato A, Dal Bo Zanon R, Manzoni S, Tonin P, De Zanche L, Girolami A: Influence of antiplatelet drugs on beta-thromboglobulin and PF4 levels in patients with transient ischemic attacks. IN: Advances in prostaglandin, thromboxane and leukotriene Research. Eds: Neri Serneri GG, McGiff JC, Paoletti R, Born GVR 1985;13:263-265

-Fabris F, Casonato A, **RANDI ML**, Luzzatto G, Girolami A: Clinical significance of surface and internal pools of platelet-associated immunoglobulins in immune thrombocytopenia. Scand. J. Haematol. 1986;37:215-220

-**RANDI ML**, Fabris F, Varotto L, Simioni P, Girolami A: Acute coronary disease in polycythemia vera and in essential thrombocythemia. In: Atherosclerosis and cardiovascular diseases, Eds. Lenzi S, Descovich GC, Bologna 1987;3: 553-557

-**RANDI ML**, Fabris F, Dona' S, Girolami A: Evaluation of platelet function in postsplenectomy thrombocytosis. Folia Hematol 1987;114::252-256

-**RANDI ML**, Casonato A, Fabris F, Vio C, Girolami A.: The significance of thrombocytosis in old age. Acta Haematol. 1987;75:41-44

-**RANDI ML**, Fabris F, Vio C, Girolami A: Familial thrombocythemia and/or thrombocytosis: apparently a rare disorder. Acta Hematol 1987;78:63

-**RANDI ML**, Nardo G, Avogadro A, Pavanato G, Manea A, De Biasi A, Cerutti R: Sindrome premenstruale e fattori della coagulazione: indagine interpretativa di un sintomo. Ginecol Clin 1987;8:1-5

-**RANDI ML**, Fabris F, Visentin L, Girolami A: Low incidence of familial occurrence of thrombocythemia and/or thrombocytosis. Folia Hematol 1988;115:695-699

-Fabris F, Zanatta N, Casonato A, **RANDI ML**, Luzzatto G, Girolami A: Response to splenectomy in idiopathic thrombocytopenic purpura: prognostic value of the clinical and laboratory evaluation. Acta Haematol. 1989;81:28-33

-Fabris F, Casonato A, **RANDI ML**, Luzzatto G, De Silvestro G, Ongaro G, Girolami A: The use of fluorescence flow cytometry in the characterization of Bernard Soulier syndrome and Glanzmann's thromboasthenia. Haematologica 1989;74:39-44

-Varotto L, **RANDI ML**, Rossi C, Gregianin M, Zucchetta P, Macrì C: The radiophosphorus treatment of polycythemia vera: minor and major complications. J Nucl Med Allied Sci 1989;33:231-232

-**RANDI ML**, Fabris F, Mares M, Stocco F, Rossi C, Girolami A: Effect of ticlopidine and fibrinolysis in retinal thrombosis and peripheral atherosclerotic disease (PAD). In: Atherosclerosis and cardiovascular disease. Ed: Descovich GC. 1989;4:131-135

-**RANDI ML**, Fabris F, Girolami A: Thrombocytosis in young people: evaluation of 57 cases diagnosed before the age of 40. Blut 1990;60:233-237

-**RANDI ML**, Fabris F, Varotto L, Rossi C, Macrì C, Girolami A: Hematological complications in polycythemia vera and thrombocythemia patients treated with radiophosphorus (³²P). Folia Haematol. 1990;117:461-467

-**RANDI ML**, Fabris F, Stocco F, Tison T, Girolami A: Multiple, relapsing thrombosis in a young man with primary thrombocytosis. *Blood Coag Fibrinolysis* 1990;1:331-332

-Girolami A, Luzzatto G, **RANDI ML**: HIV conversion and AIDS related complex (ARC) after the recent use of hemoderivates in a patient with von Willebrand's disease. *Folia Hematol* 1989;116:235-237

-Fabris F, Cordiano I, **RANDI ML**, Casonato A, Montini G, Zacchello G, Girolami A: Effect of human recombinant erythropoietin on bleeding time, platelet number and function in children with end-stage renal disease maintained by haemodilysis. *Pediatr Nephrol* 1991;5:225-228

-**RANDI ML**, Stocco F, Tison T, Fabris F, Girolami A: Use of a radioimmunoassay for 5-hydroxytryptamine (5-HT) in thrombocytosis. *Blood Coag Fibrinolysis* 1991;2:205-208

-**RANDI ML**, Mares M, Fabris F, Tison T, Barbone E, Girolami A: Decrease of fibrinogen in patients with peripheral atherosclerotic disease by ticlopidine. *Arzneim.-Forsch./Drug Res.* 1991;4:414-416

-**RANDI ML**, Fabris F, Rossi C, Tison T, Girolami A: Incidenti trombotici ed emorragici in un' ampia popolazione di trombocitosici. *Trombosi & Aterosclerosi* 1991;2:35-39

-**RANDI ML**, Rossi C, Tison T, Barbone E, Girolami A: Portal thrombosis and myeloproliferative diseases. In: *Proceedings of III Int Congr of Phlebolympology* Eds Donini I, Sortini A, Gasbarro V, Ferrara 1991; 1: 21-23

-**RANDI ML**, Rossi C, Barbone E, Pietrogrande F, Girolami A: Incidence of thrombocytosis in lymphomas. *Leukemia and lymphoma* 1992;7:139-141

-**RANDI ML**, Stocco F, Rossi C, Tison T, Girolami A: Thrombosis and hemorrhage in thrombocytosis: evaluation of a large cohort of patients (357). *J. Med* 1991; 22:213-223

-Fabris F, Cordiano I, Steffan A, **RANDI ML**, Girolami A: Identification of anti-platelet autoantibodies by western blot in 45 patients with idiopathic thrombocytopenic purpura (ITP). *Haematologica* 1992;77:122-126

-Fabris F, Cordiano I, Steffan A, **RANDI ML**, Girolami A: Labeling of platelet surface glycoproteins with biotin derivatives. *Thromb Res.* 1992;66:409-419

- **RANDI ML**, Fabris F, Rossi C, Girolami A: Which tests are more useful in distinguishing between reactive thrombocytosis and the thrombocytosis of myeloproliferative disease? *Cl. Lab. Haematol.* 1992; 267-268

-Fabris F., Steffan A., **RANDI ML**, Avruscio GP, Cordiano I, Girolami A: Indobufen versus dipyridamole plus aspirin in the treatment of patients with peripheral atherosclerotic disease. *J. Med.* 1992;23:81-92

-**RANDI ML**, Fabris F, Rossi C, Tison T, Barbone e, Girolami A: Sex and age as prognostic factors in essential thrombocythemia. *Haematologica* 1992;77:402-402

- RANDI ML**, Tison T, Luzzatto G, Girolami A: Haemolytic uremic syndrome during treatment with ketorolac trometamol. *Br. Med. J.* 1993;306:186
- RANDI ML**, Fabris F, Tison T, Barbone E, Rossi C, Girolami A: Prevalence of specific thrombotic accidents in patients with thrombocytosis. *Haematologia* 1993;3:149-152
- Barbone E, Girolami A, **RANDI ML**: HIV infection and polycythemia vera: a relationship worth pursuing? *J Med* 1993;24:409-410
- RANDI ML**, Barbone E, Girolami A: Normal pregnancy and delivery in essential thrombocythemia even without interferon therapy. *Am J Hematol* 1994;45:270-271
- RANDI ML**, Rossi C, Barbone E, Cavatton G, Fabris F, Girolami A: Myeloproliferative disease in patients with a history of multiple blood donations: a report of 8 cases. *Haematologica* 1994;79:137-140
- RANDI ML**, Fabris F, Barbone E, Rossi C, Girolami A: The role of tests for inflammatory states in the differential diagnosis of thrombocytotic states. *Rev Iberoamer Tromb Hemostasia* 1994;7:87-88
- RANDI ML**, Rossi C, Barbone E, Casonato A, Fabris F, Girolami A: Superior sagittal sinus thrombosis in 5 patients with essential thrombocythemia: a possible disease variant. *Rev Iberoamer Tromb Hemostasia* 1994;7:76-78
- RANDI ML**, Barbone E, Rossi C, Girolami A: Essential thrombocythemia and pregnancy: a report of six normal pregnancies in five untreated patients. *Obstet Gynecol* 1994;83:915-917
- Fabris F, Steffan A, Cordiano I, Borzini I, Luzzatto G, **RANDI ML**, Girolami A: Specific antiplatelet autoantibodies in patients with antiphospholipid antibodies and thrombocytopenia. *Eur J Hematol* 1994;53:232-236
- Cordiano I, Steffan A, **RANDI ML**, Pradella P, Girolami A, Fabris F: Biotin-avidin immobilization of platelet glycoproteins (BAIPG): a new capture assay for the detection of anti-platelet antibodies. *J Immunol Methods* 1995;178:121-130
- Fabris F, Luzzatto G, **RANDI ML**, Cella G: Beta-thromboglobulin (beta-TG) and platelet factor 4 (PF4) in patients with myeloproliferative diseases. *Thromb Haemostas* 1994;72:484-485
- RANDI ML**, Barbone E, Fabris F, Varotto L, Macri C, Girolami A: Postpolycythemia myeloid metaplasia: experience with a large cohort of patients. *J Med* 1994;25: 363-369
- RANDI ML**, Rossi C, Fabris F, Zerbinati P, Girolami A: Atopic dermatitis and allergic diseases with thrombocytosis: a possible link. *Ann Allergy Asthma Immunol* 1995;75:530-532
- RANDI ML**, Zanella I, Pujatti P, Soini B, Girolami A: Platelet function in alcoholics treated with disulfiram. *Clin Appl Thromb Hemostas* 1996;2:51-54

- RANDI ML**, Ragazzi R, Cella G: The usage of heparin in vascular intervention. *Cl Radiol* 1997;52:246-247
- RANDI ML**, Luzzatto G, Fabris F: Danazol in refractory pruritus of myeloproliferative disorders. *Am J Hematol* 1997;54:172-173
- Cordiano I, Salvan F, **RANDI ML**, Ruffatti AM, Steffan A, Girolami A, Fabris F: Antiplatelet glycoprotein autoantibodies in patients with autoimmune diseases with and without thrombocytopenia. *J Clin Immunol* 1996;16:340-347
- Patrassi GM, Sartori MT, **RANDI ML**, Zerbinati P, Theodoridis P, Pontarollo S, Danesin C, Girolami A: Contribution of platelets to PAI-1 concentration in plasma of patients with primary and secondary thrombocytosis. *Fibrinolysis Proteolysis* 1997; 11:85-90
- Zerbinati P, **RANDI ML**, Rossi C, Soini B, Girolami A: Two methods for intraplatelet serotonin evaluation: their use in thrombocytosis. *Clin Appl Thromb Hemostas* 1997;3:144-146
- RANDI ML**, Barbone E, Zerbinati P, Soini B, Rossi C, Girolami A: Essential thrombocythemia following polycythemia vera: an unusual sequence. *J Med.* 1996;27:363-368
- Rossi C, **RANDI ML**, Zerbinati P, Cella G, Girolami A: Thrombocytosis in malignancy: a paraneoplastic syndrome? *Hematology* 1997;2:229-233
- Landolfi R, Marchioli M (on behalf of the **ECLAP investigators**): European Collaboration on low-dose aspirin in polycythemia vera (ECLAP): a randomized trial. *Semin Thromb Hemostas* 1997;23: 473- 478
- Rossi C, **RANDI ML**, Zerbinati P, Rinaldi V, Girolami A: Acute coronary disease in essential thrombocythemia and polycythemia vera. *J Int Med* 1998;244:49-53
- RANDI ML**, Fabris F, Cella G, Rossi C, Girolami A: Cerebral vascular accidents in young patients with essential thrombocythemia: relation with other known cardiovascular risk factors. *Angiology* 1998;49:477-482
- RANDI ML**, Meneghin C, Zerbinati P, Sbarai A, Rampin E, Pasini R, Zanin L, Girolami A, Cella G: Soluble plasma thrombomodulin levels in patients with chronic myeloproliferative disorder *Clin Appl Thrombosis Hemostasis* 1998;5:43-47
- RANDI ML**, Luzzatto G, Fabris F: Low-risk essential thrombocythemia in patients younger than 40. *Br J Hematol* 1999;104:928-936
- Cella G, **RANDI ML**: Soluble thrombomodulin as predictor of incident coronary heart disease. *Lancet* 1999;354:425
- RANDI ML**, Rossi C, Fabris F, Girolami A: Essential thrombocythemia in young adults: treatment and outcome of 16 pregnancies. *J Int Med* 1999;246:517-518

- RANDI ML**, Fabris F, Girolami A: Leukemia and myelodysplasia in patients with essential thrombocythemia treated with cytotoxic agents. *Haematologica* 1999;84:1049-1050
- RANDI ML**, Putti MC, Fabris F, Sainati L, Zanesco L, Girolami A: Features of essential thrombocythemia in childhood: a study of five children. *Br J Haematol* 2000;108:86-89
- RANDI ML**, Rossi C, Fabris F, Menapace L, Girolami A: Aspirin seems as effective as myelosuppressive agents in the prevention of re-thrombosis in essential thrombocythemia. *Clin Appl Thromb Hemostas* 1999;5:131-135
- RANDI ML**, Fabris F, Girolami A: Leukemia and myelodysplasia: effect of cytotoxic therapy in essential thrombocythemia. *Leuk Lymph.* 2000;37:379-385
- RANDI ML**, Rossi C, Fabris F, Girolami A: Essential thrombocythemia in young adults: major thrombotic complications and complications during pregnancy. A follow-up study in 68 patients. *Clin Appl Thromb Hemostas* 2000;6:31-35
- Fabris F, Soini B, Sartori R, **RANDI ML**, Luzzatto G, Girolami A: Clinical and laboratory factors that affect the post-transfusion platelet increment. *Transfusion Science* 2000;23:63-68
- Fabris F, Luzzatto G, Ramon R, **RANDI ML**, De Silvestro G, Girolami A: Treatment of refractory ITP with extracorporeal immunoadsorption over a protein-A sepharose column: a report of two cases. *Haematologica* 2000;85:888-9
- Fabris F, Tassan R, Ramon R, Carraro G, **RANDI ML**, Luzzatto G, Moschino P, Girolami A: Age as major predictive factor of long-term response to splenectomy in immune thrombocytopenic purpura. *Br J Haematol* 2001;112:637-40
- RANDI ML**: Poliglobulie e trombocitosi paraneoplastiche. *Atti Ist. Veneto di Scienze, Lettere ed Arti* 1999;158,603-607
- RANDI ML**, Tison T, Zelante A, Ruzzon E, Girolami A: Polycythemia vera and essential thrombocythemia with monoclonal gammopathy: experience of a single institution. *Haematologica* 2001;86:769-70
- RANDI ML**, Fabris F, Girolami A: Second malignancies in patients with essential thrombocythemia. *Br J Haematol* 2002;116:923-924
- Luzzatto G, **RANDI ML**: Rectal treasuring. Age and ageing. 2001; 30:165
- Cella G, **RANDI ML**, Sbarai A, Bauer KA, Barzegar S, Rosenberg RD: Factor IX activation peptide and soluble selectins in patients with chronic myeloproliferative disorders. *Haematologica* 2002;87:681-682
- Fabris F, Luzzatto G, Soini B, Ramon R, Scandellari R, **RANDI ML**, Girolami A: Risk factors for thrombosis in patients with immune mediated heparin-induced thrombocytopenia. *J Int Med.* 2002;252:149-154

- RANDI ML**, Fabris F, Ruzzon E, Pacquola E, Cella G, Girolami A: Splenectomy after portal thrombosis in patients with polycythemia vera and essential thrombocythemia. *Haematologica* 2002;87:1180-1184
- Fabris F, Scandellari R, **RANDI ML**, Carraro G, Luzzatto G, Girolami A: Attempt to improve the diagnosis of immune thrombocytopenia by combined use of two different platelet autoantibodies assays (PAIg and MACE). *Haematologica* 2002;87:1046-1052
- Luzzatto G, Cella G, Messina C, **RANDI ML**, Sbarai A, ZanESCO L: Markers of endothelial function in pediatric stem cell transplantation for acute leukemia. *Med Pediatr Oncol* 2003;40:9-12
- RANDI ML**, Sartori MT, Luzzatto G, Ruzzon E, Boccagni P, Ragazzi R, Girolami A: Thrombocytosis and recurrent hepatic outflow obstruction (Budd-Chiari syndrome) after successful thrombolysis: care report and literature review. *Clin Appl Thrombosis/Hemostasis* 2002;8:369-374
- RANDI ML**, Tison T, Ruzzon E, Pacquola E, Girolami A: Association of monoclonal gammopathy and polycythemia vera or essential thrombocythemia: study of a large cohort of patients. *Ann Hematol* 2003;82:214-217
- Landolfi R per ECLAP investigators (**RANDI ML**): Efficacy and safety of low-dose aspirin in polycythemia vera. *NEJM* 2004;350:114-124
- Fabris F, Scandellari R, Ruzzon E., **RANDI ML**, Luzzatto G, Girolami A: Platelet-associated autoantibodies as detected by a solid phase modified antigen capture ELISA test (MACE) are a useful prognostic factor in idiopathic thrombocytopenic purpura. *Blood* 2004;103:4562-4564
- RANDI ML**, Putti MC: Essential thrombocythemia in children: is a treatment needed? *Expert Opin Pharmacother* 2004;5:1009-1014
- Girolami A, **RANDI ML**, Gavasso S, Lombardi AM, Spiezia F: The occasional venous thrombosis seen in patients with severe (homozygous) F XII deficiency are probably due to associated risk factors: a study of prevalence in 21 patients and review of the literature. *J Thromb Thrombolysis*. 2004;17:139-143
- RANDI ML**, Putti MC, Pacquola E, Luzzatto G, ZanESCO L, Fabris F: Normal thrombopoietin and its receptor (c-mpl) genes in children with essential thrombocythemia. *Pediatr Blood Cancer* 2004;43:1-4
- Girolami A, Ruzzon E, Lombardi AM, Cabrio L, **RANDI ML**. Thrombosis-free Surgical Procedures in Severe (Homozygote) Factor XII Deficiency: Report of Four Additional Cases and Literature Review. *Clin Appl Thromb Hemostas* 2004;10:351-355
- Girolami A, **RANDI ML**, Tezza F, Molaro G, Girolami B. Unusual longevity in a patient with factor X Friuli coagulation disorder. *Thromb Haemost.* 2005;93:385-7.
- RANDI ML**, Ruzzon E, Luzzatto G, Tezza F, Girolami A, Fabris F. Safety profile of hydroxyurea in the treatment of patients with Philadelphia-negative chronic myeloproliferative disorders. *Haematologica*. 2005;90:261-2.

- Finazzi G, Caruso V, Marchiali R, Capnist G, Chisesi T, Finelli C, Gugliotta L, Landolfi R, Kutti J, Gisslinger H, Marilus R, Patrono C, Pogliani EM, **RANDI ML**, Villegas A, Rognoni G, Barbui T: Acute leukemia in polycythemia vera. An analysis of 1,638 patients enrolled in a prospective observational study. *Blood*, 2005;105:2664-70
- RANDI ML**, Murgia A, Putti MC, Casarin A, Martella M, Opocher G, Fabris F: Low frequency of VHL gene mutation in young individuals with polycythemia vera and high serum erythropoietin. *Haematologica* 2005;90:689-691
- RANDI ML**, Ruzzon E, Tezza F, Luzzatto G, Fabris F: Toxicity and side effects of hydroxyurea used for primary thrombocythemia. *Platelets* 2005;16:181-184
- Girolami A, **RANDI ML**, Ruzzon E, Zanon E, Girolami B: Myocardial infarction, other arterial thrombosis and invasive coronary procedures in hemophilia B: a critical evaluation of reported cases. *J Thromb Thrombolysis*. 2005;20:43-46
- RANDI ML**, Ruzzon E, Pacquola E, Fabris F: Monoclonal gammopathy in human leishmaniasis: a case report. *Nethr. J Med*. 2006;64:50-1
- Girolami A, **RANDI ML**, Ruzzon E, Lombardi AM, Girolami B, Fabris F: Pregnancy and oral contraceptives in congenital bleeding disorders of the vitamin K-dependent coagulation factors. *Acta Haematol* 2006;115:58-63
- Cella G, Marchetti M, Vignoli A, **RANDI ML**, Saggiorato G, Pasetto L, Pagnan A, Barbui T, Falanga A: Blood oxidative status and selectins plasma levels in healthy donors receiving granulocytes-colony stimulating factor. *Leukemia* 2006; 20 :1430-1434
- RANDI ML**, Putti MC, Scapin M, Pacquola E, Tucci F, Micalizzi C, ZanESCO L, Fabris F: Pediatric patients with essential thrombocythemia are mostly polyclonal and V617F/JAK2 negative. *Blood* 2006;108:3600-02
- Vannucchi AM, Antonioli E, Guglielmelli P, Rambaldi A, Barosi G, Marchiali M, Marfisi RM, Finazzi G, Guerini F, Fabris F, **RANDI ML**, De Stefano V, Caberlon S, Tafuri A, Ruggeri M, Specchia G, Liso V, Rossi E, Pogliani E, Gugliotta L, Bosi A, Barbui T, for the GIMEMA-MPD WP : Clinical profile of homozygous Jak2 V617F mutation in patients with polycythemia vera or essential thrombocythemia. *Blood* 2007 ;110:840-846
- Passamonti F, **RANDI ML**, Rumi E, Pungolino E, Elena C, Pietra D, Scapin M, Arcaini L, Tezza F, Moratti R, Pascutto C, Fabris F, Morra E, Cazzola M, Lazzarino M. Increased risk of pregnancy complications in patients with essential thrombocythemia carrying the Jak2 (V617F) mutation. *Blood* 2007 110:485-489
- RANDI ML**, Lombardi AM, Scapin M, Tezza F, Scandellari R, Ruzzon E, Duner E, Fabris F: Hemostatic proteins gene polymorphisms in patients with unusual vein thrombosis and Ph-myeloproliferative disorders. *Thromb Haemostas* 2007;98:702-704

- Fabris F, **RANDI ML**: Le malattie mieloproliferative croniche: la trombocitemia essenziale. Intern Emerg Med. 2008;3:S116-S125.
- **RANDI ML**, Ruzzon E, Piccoli A, Tezza F, Scapin M, Scandellari R, Fabris F: Hydroxyurea in old patients with essential thrombocythemia. Aging Clin Exp Res 2008;20:376-980
- Vettore S, Scandellari R, Moro S, Lombardi AM, Scapin M, **RANDI ML**, Fabris F: Novel point mutation in a leucine-rich repeat of the GP1ba chain of the platelet von Willebrand factor receptor, GP1b/IX/V, resulting in an inherited dominant form of Bernard-Soulier syndrome affecting two unrelated families: the N41H variant. Haematologica 2008;93:1743-47
- Vettore S, Scandellari R, Scapin M, Lombardi AM, Duner E, **RANDI M.L.**, Fabris F. A case of Bernard-Soulier syndrome due to a homozygous four bases deletion (TGAG) of GP1b alpha gene; lack of GP1balpha but absence of bleeding. Platelets 2008,19; 388-391
- Teofili L, Cenci T, Martini M, Capodimonti S, Torti L, Giona F, Amendola A, **RANDI ML**, Putti MC, Scapin M, Leone G, Larocca LM: The mutant JAK2V617F allele burden in children with essential thrombocythemia. Br J Haematol 2009;145:430-432
- **RANDI ML**, PUTTI MC: Pediatric myeloproliferative neoplasms. Hematology Education EHA 2009;3:221-6
- Fabris F, **RANDI ML**: Essential thrombocythemia: past and present. Intern Emerg Med 2009;4:381-8
- Scandellari R, Allemand E, Vettore S, Plebani M, **RANDI ML**, Fabris F: Platelet response to helicobacter pylori eradication therapy in adult chronic idiopathic thrombocytopenic purpura seems to be related to the presence of anticytotoxin-associated gene A antibodies. Blood Coag Fibrinol 2009;20:108-13
- **RANDI ML**, Brunati AM, Scapin M, Frasson M, Deana R, Magrin E, Fabris F, Donella-Deana A: Src tyrosine kinase preactivation is associated with platelet hypersensitivity in essential thrombocythemia and polycythemia vera. Blood 2010; 115:667-76
- **RANDI ML**, Putti MC: Philadelphia-negative chronic myeloproliferative disorders in children. European Haematology 2010;4:51-4
- Passamonti F, Rumi E, **RANDI ML**, Morra E, Cazzola M: Aspirin in pregnant patients with essential thrombocythemia: a retrospective analysis of 129 pregnancies. J Thromb Haemostas 2010 ; 8:411-3
- Putti MC, **RANDI ML**: Thrombotic complications in children with haematologic malignancies. Thromb Res 2010;125:S154-S157
- Fabris F, Scandellari R, Vettore S, Scapin M, Bizzaro N, **RANDI ML**: Intriguing outcome of JAK2V617F mutation seen in a patient with MYH9-related hereditary macrothrombocytopenia. Thromb Haemostas 2010;104:858-859

-**RANDI ML**, Tezza F, Scapin M, Der E, Scarparo P, Scandellari R, Fabris F. Heparin-Induced Thrombocytopenia in Patients with Philadelphia-Negative Myeloproliferative Disorders and Unusual Splanchnic or Cerebral Vein Thrombosis. *Acta Haematol* 2010;123:140-145

- Carobbio A, Thiele J, Passamonti F, Rumi E, Ruggeri M, Rodeghiero F, **RANDI ML**, Bertozzi I, Vannucchi AM, Antonioli E, Gisslinger H, Buxhofer-Ausch V, Finazzi G, Gangat N, Tefferi A, Barbui T: Risk factors for arterial and venous thrombosis in WHO-defined essential thrombocythemia: an International study of 891 patients. *Blood* 2011;117:5857-5859

-**RANDI ML**, Ruzzon E, Tezza F, Scapin M, Duner E, Scandellari R, Fabris F: JAK2V617F mutation is common in old patients with polycythemia vera and essential thrombocythemia. *Aging Clin Exp Res.* 2011 23(1):17-21.

- Barbui T, Thiele J, Passamonti F, Rumi E, Boveri E, Ruggeri M, Rodeghiero F, d'Amore ES, **RANDI ML**, Bertozzi I, Marino F, Vannucchi AM, Antonioli E, Carrai V, Gisslinger H, Buxhofer-Ausch V, Müllauer L, Carobbio A, Gianatti A, Gangat N, Hanson CA, Tefferi A.: Survival and disease progression in essential thrombocythemia are significantly influenced by accurate morphologic diagnosis: an international study. *J Clin Oncol.* 2011;29(23):3179-84.

- Finazzi G, Carobbio A, Thiele J, Passamonti F, Rumi E, Ruggeri M, Rodeghiero F, **RANDI ML**, Bertozzi I, Vannucchi AM, Antonioli E, Gisslinger H, Buxhofer-Ausch V, Gangat N, Rambaldi A, Tefferi A, Barbui T: Incidence and risk factors for bleeding in 1104 patients with essential thrombocythemia or prefibrotic myelofibrosis diagnosed according to the 2008 WHO criteria. *Leukemia.* 2012;26:716-9

-Berti de Marinis G, Bertozzi I, Allemand E, Tezza F, **RANDI ML**, Naso A, Fabris F. A 40-year-old man with recurrent fainting, hypotension, lower limb edema and oliguria with body weight gain and secondary erythrocytosis. *Intern Emerg Med.* 2012;7:453-6

- Barbui T, Thiele J, Passamonti F, Rumi E, Boveri E, **Randi ML**, Bertozzi I, Marino F, Vannucchi AM, Pieri L, Rotunno G, Gisslinger H, Gisslinger B, Müllauer L, Finazzi G, Carobbio A, Gianatti A, Ruggeri M, Nichele I, D'Amore E, Rambaldi A, Tefferi A. Initial bone marrow reticulin fibrosis in polycythemia vera exerts an impact on clinical outcome. *Blood.* 2012;119:2239-41

-Carobbio A, Finazzi G, Thiele J, Kvasnicka HM, Passamonti F, Rumi E, Ruggeri M, Rodeghiero F, **RANDI ML**, Bertozzi I, Vannucchi AM, Antonioli E, Gisslinger H, Buxofer-Ausch V, Gangat N, Rambaldi A, Tefferi A, Barbui T: Blood tests may predict early primary myelofibrosis in patients presenting with essential thrombocythemia. *Am J Hematol* 2012;87:203-4

-Bertozzi I, Tezza F, Bonamigo E, Fabris F, **RANDI ML**: Leucocytosis at diagnosis in patients with essential thrombocythemia is a risk factor for transformation into myelofibrosis. *OJBD* 2012;2:46-50

-Antonioli E, Guglielmelli P, Pieri L, Finazzi MC, Rumi E, Martinelli V, Vianelli N, **RANDI ML**, Bertozzi I, De Stefano V, Za T, Rossi E, Ruggeri M, Elli E, Cacciola R, Cacciola E, Pogliani E, Rodeghiero F, Baccarani M, Passamonti F, Finazzi G, Rambaldi A, Bosi A, Cazzola M, Barbui T, Vannucchi AM: Hydroxyurea-related toxicity in 3411 patients with Ph-negative MPN. *Am J Haematol* 2012; 87:552-554

-Passamonti F, Thiele J, Girodon F, Rumi E, Carobbio A, Gisslinger H, Kvasnicka HM, Ruggeri M, **RANDI ML**, Gangat N, Vannucchi AM, Gianatti A, Gisslinger B, Mullauer L, Rodeghiero F, D'Amore ESG, Bertozzi I, Hanson CA, Boveri E, Marino F, Maffioli M, Caramazza D, Anatonoli E, Carrai V, Buxhofer-Ausch V, Pascutto C, Cazzola M, Barbui T, Tefferi A: A prognostic model to predict survival in 867 World Health Organization-defined essential thrombocythemia at diagnosis: a study by the International Working Group on Myelofibrosis Research and treatment *Blood* 2012; 120:1197-201

-Barbui T, Finazzi G, Carobbio A, Thiele J, Passamonti F, Rumi E, Ruggeri M, Rodeghiero F, **RANDI ML**, Bertozzi I, Gisslinger H, Buxofer-Aush V, De Stefano V, Betti S, Rambaldi A, Vannucchi AM, Tefferi A: Development and validation of an International prognostic score of thrombosis in WHO-essential thrombocythemia (IPSET-thrombosis) *Blood* 2012;120:5128-33

-Buxofer-Ausch V, Gisslinger H, Thiele J, Gisslinger B, Kvasnicka HM, Mullauer L, Frantal S, Carobbio A, Passamonti F, Rumi E, Ruggeri M, Rodeghiero F, **RANDI ML**, bertozzi I, Vannucchi AM, Antonoli E, Finazzi G, Gangat N, Tefferi A, Barbui T: Leukocytosis as an important risk factor for arterial thrombosis in WHO-defined early/prefibrotic myelofibrosis: an international study of 264 patients. *Am J Hematol* 2012;87:669-72

-Barbui T, Thiele J, Carobbio A, Passamonti F, Rumi E, **RANDI ML**, Bertozzi I, Vannucchi AM, Gisslinger H, Gisslinger B, Finazzi G, Ruggeri M, Rodeghiero F, Rambaldi A, Gangat N, Tefferi A: Disease characteristics and clinical outcome in young adults with essential thrombocythemia versus early/prefibrotic primary thrombocytosis. *Blood* 2012;120:569-71

-Marchioli R, Finazzi G, Specchia G, Cacciola R, Cavazzina R, Cilloni D, De Stefano V, Elli E, Iurlo A, Latagliata R, Lunghi F, Lunghi M, Marfinsi RM, Musto P, Masciulli A, Musolino C, Casca villa N, Quarta G, **RANDI ML**, Rapezzi D, Ruggeri M, Rumi E, Scortechini AR, Santini S, Scarano M, Siragusa S, Spadea A, Tieghi A, Angelucci E, Visani G, Vannucchi AM, Barbui T. Cardiovascular events and intensity of treatment in Polycythemia vera. *NEJM* 2013;368:22-33

-Barbui T, Thiele J, Carobbio A, Gisslinger H, Finazzi G, Rumi E, **Randi ML**, Vannucchi AM, Gisslinger B, Müllauer L, Ruggeri M, Rambaldi A, Tefferi A. Masked polycythemia vera diagnosed according to WHO and BCSH classification. *Am J Hematol.* 2013 Oct 26. doi: 10.1002/ajh.23617

-Bento C, Percy MJ, Gardie B, Maia TM, van Wijk R, Perrotta S, Della Ragione F, Almeida H, Rossi C, Girodon F, Aström M, Neumann D, Schnittger S, Landin B, Minkov M, **Randi ML**, Richard S, Casadevall N, Vainchenker W, Rives S, Hermouet S, Ribeiro ML, McMullin MF, Cario H; on behalf of ECE-Consortium, Chauveau A, Gimenez-Roqueplo AP, Bressac-de-Paillerets B, Altindirek D, Lorenzo F, Lambert F, Dan H, Gad-Lapiteau S, Catarina Oliveira A, Rossi C, Fraga C, Taradin G, Martin-Nuñez G, Vitória H, Diaz Aguado H, Palmblad J, Vidán J, Relvas L, Ribeiro ML, Luigi Larocca M, Luigia Randi M, Pedro Silveira M, Percy M, Gross M, Marques da Costa R, Beshara S, Ben-Ami T, Ugo V. Genetic Basis of Congenital Erythrocytosis: Mutation Update and Online Databases. *Hum Mutat.* 2013 Sep 30. doi: 10.1002/humu.22448 2013;35(1):15-26

-Tefferi A, Rumi E, Finazzi G, Gisslinger H, Vannucchi AM, Rodeghiero F, **Randi ML**, Vaidya R, Cazzola M, Rambaldi A, Gisslinger B, Pieri L, Ruggeri M, Bertozzi I, Sulai NH, Casetti I, Carobbio A, Jerczynski G, Larson DR, Müllauer L, Pardanani A, Thiele J, Passamonti F, Barbui T. Survival and prognosis among 1545 patients with contemporary polycythemia vera: an international study. *Leukemia.* 2013;27:1874-81.

-Cardin F, **RANDI ML**, Mosele M, Terranova C, Militello C: Severe delayed postpolypectomy bleeding in elder patient with post-polycythemia myelofibrosis. *BMC Surgery* 2013;13:S18

-Farruggia P, D'Angelo P, La Rosa M, Scibetta N, Santangelo G, Lo bello A, Duner E, **RANDI ML**, Putti MC, Santoro A: MPL W515L mutation in pediatric essential thrombocythemia. *Pediatr Blood Cancer* 2013, 60:E52-E56 doi: 10.1002/pbc.24500

-Barbui T, Thiele J, Carobbio A, Gisslinger H, Finazzi G, Rumi E, **RANDI ML**, Vannucchi AM, Gisslinger B, Mullauer L, Ruggeri M, Rambaldi A, Tefferi A: Masked polycythemia vera diagnosed according to WHO and BCSH classification. *Am J Hematol* 2013 Oct 26, doi: 10.002/ajh.23617

-**RANDI ML**, Bertozzi I, Rumi E, Chiara E, Finazzi G, Vianelli N, Polverelli N, Ruggeri M, Vannucchi AM, Antonioli E, Lussana F, Tieghi A, Iurlo A, Elli E, Ruella M, Fabris F, Cazzola M, Barbui T. Pregnancy complications predict thrombotic events in young women with essential thrombocythemia. *Am J Hematol*. 2014;89 (3):306-309

-**RANDI ML**, Santarossa C, Peroni E, Cosi E, Duner E, Bertozzi I, Fabris F: Effect of busulfan on JAK2V617F allele burden. *Haematologica*: 2014;99:e44

-Ceccato F, Occhi G, Regazzo D, **RANDI ML**, Cecchin D, Gardiman MP, Manara R, Lombardi G, Denaro L, Mantero F, Scaroni C: Gonadotropin secreting pituitary adenoma associated with erythrocytosis: case report and literature review. *Hormones* 2014;13(1): 131-139

-Lussana F, Carobbio A, **Randi ML**, Elena C, Rumi E, Finazzi G, Bertozzi I, Pieri L, Ruggeri M, Palandri F, Polverelli N, Elli E, Tieghi A, Iurlo A, Ruella M, Cazzola M, Rambaldi A, Vannucchi AM, Barbui T. A lower intensity of treatment may underlie the increased risk of thrombosis in young patients with masked polycythaemia vera. *Br J Haematol*. 2014 Aug 16. doi: 10.1111/bjh.13080.

-Martinelli I, De Stefano V, Carobbio A, **Randi ML**, Santarossa C, Rambaldi A, Finazzi MC, Cervantes F, Arellano-Rodrigo E, Rupoli S, Canafoglia L, Tieghi A, Facchini L, Betti S, Vannucchi AM, Pieri L, Cacciola R, Cacciola E, Cortelezzi A, Iurlo A, Pogliani EM, Elli EM, Spadea A, Barbui T. Cerebral vein thrombosis in patients with Philadelphia-negative myeloproliferative neoplasms An European Leukemia Net study. *Am J Hematol*. 2014 Jul 19. doi: 10.1002/ajh.23809.

-Noris P, Schlegel N, Klersy C, Heller PG, Civaschi E, Pujol-Moix N, Fabris F, Favier R, Gresele P, Latger-Cannard V, Cuker A, Nurden P, Greinacher A, Cattaneo M, De Candia E, Pecci A, Hurtaud-Roux MF, Glembotsky AC, Muñoz-Diaz E, **Randi ML**, Trillot N, Bury L, Lecompte T, Marconi C, Savoia A, Balduini CL, Bayart S, Bauters A, Benabdallah-Guedira S, Boehlen F, Borg JY, Bottega R, Bussel J, De Rocco D, de Maistre E, Faleschini M, Falcinelli E, Ferrari S, Ferster A, Fierro T, Fleury D, Fontana P, James C, Lanza F, Le Cam Duchez V, Loffredo G, Magini P, Martin-Coignard D, Menard F, Mercier S, Mezzasoma A, Minuz P, Nichele I, Notarangelo LD, Pippucci T, Podda GM, Pouymayou C, Rigouzzo A, Royer B, Sie P, Siguret V, Trichet C, Tucci A, Saposnik B, Veneri D; European Hematology Association – Scientific Working Group on Thrombocytopenias and Platelet Function Disorders. Analysis of 339 pregnancies in 181 women with 13 different forms of inherited thrombocytopenia. *Haematologica*. 2014 Aug;99(8):1387-94.

-Barbui T, Carobbio A, Rumi E, Finazzi G, Gisslinger H, Rodeghiero F, **Randi ML**, Rambaldi A, Gisslinger B, Pieri L, Bertozzi I, Casetti I, Pardanani A, Passamonti F, Vannucchi AM, Tefferi A. In contemporary patients with polycythemia vera, rates of thrombosis and risk factors delineate a new clinical epidemiology. *Blood*. 2014 Nov 6;124(19):3021-3.

-Piccin A, Steurer M, Mitterer M, Blöchl EM, Marcheselli L, Pusceddu I, Marabese A, Bertozzi I, Corvetta D, **Randi ML**, Elli E, Pogliani EM, Veneri D, Perbellini O, Krampera M, Pacquola E, Gottardi M, Tiribelli M, Guella A, Innella B, Vivaldi P, De Biasi E, Sancetta R, Rocconi R, Bassan R, Gherlinzoni F, Pizzolo G, Gastl G, Cortelazzo S. Role of blood cells dynamism on hemostatic complications in low-risk patients with essential thrombocythemia. *Intern Emerg Med*. 2015 Jan 14.

-**Randi ML**, Geranio G, Bertozzi I, Micalizzi C, Ramenghi U, Tucci F, Notarangelo LD, Ladogana S, Menna G, Giordano P, Consarino C, Farruggia P, Zanazzo GA, Fiori GM, Burnelli R, Russo G, Jankovich M, Peroni E, Duner E, Basso G, Fabris F, Putti MC. Are all cases of paediatric essential thrombocythaemia really myeloproliferative neoplasms? Analysis of a large cohort. *Br J Haematol*. 2015 Feb 25. doi: 10.1111/bjh.13329.

-Barbui T, Vannucchi AM, Carobbio A, Thiele J, Rumi E, Gisslinger H, Rodeghiero F, **Randi ML**, Rambaldi A, Pieri L, Pardanani A, Passamonti F, Finazzi G, Tefferi A: Patterns of presentation and thrombosis outcome in patients with polycythemia vera strictly defined by WHO-criteria and stratified by calendar period of diagnosis. *Am J Hematol*. 2015 Feb 14. doi: 10.1002/ajh.23970.

-Girolami A, Cosi E, Girolami B, **Randi ML**: Complex History of the Discovery and Characterization of Congenital Factor X Deficiency. *Semin Thromb Haemostas* 2015

TOTALE LAVORI PUBBLICATI	168
TOT lavori recensiti	160
Primo/secondo o ultimo autore o corresponsing	95
TOT IF	649.07