

Elenco Pubblicazioni: Le pubblicazioni sono elencate come appaiono in PUBMED (155)

1. Hybrid minimally invasive technique with the bidirectional rotational Evolution® mechanical sheath for transvenous lead extraction: A collaboration between electrophysiologists and cardiac surgeons. Migliore F, Cavalli G, **Bottio** T, Testolina M, De Lazzari M, Bertaglia E, Iliceto S, Gerosa G. *J Arrhythm.* 2018 Apr 30;34(3):329-332. doi: 10.1002/joa3.12064. eCollection 2018 Jun.
2. A comparison of quality of life and psychological distress in heart transplantation patients at adult and pediatric ages. Cavalli C, Tarzia V, Marini M, Gregori D, Casella S, **Bottio** T, Toscano G, Fraiese AP, Gambino A, Volpe B, Gerosa G. *Clin Transplant.* 2018 Jun 23:e13335. doi: 10.1111/ctr.13335.
3. Subcutaneous implantable cardioverter defibrillator in patients awaiting cardiac transplantation or left ventricular assist device for refractory heart failure: a feasible alternative to transvenous device? Migliore F, Cavalli G, **Bottio** T, De Franceschi P, Bertaglia E, Gerosa G, Iliceto S. *ESC Heart Fail.* 2018 Jun;5(3):218-221. doi: 10.1002/ehf2.12255.
4. Irreversible cardiac failure with intraventricular thrombosis: A novel technique of paracorporeal biventricular assist device implantation with ventricles excision. Carrozzini M, Toto F, Gerosa G, **Bottio** T. *J Thorac Cardiovasc Surg.* 2018 Apr;155(4):1632-1634. doi: 10.1016
5. A pilot study on the efficacy and safety of a minimally invasive surgical and anesthetic approach for ventricular assist device implantation. Bejko J, Pittarello D, Falasco G, Di Gregorio G, Tarzia V, Rizzoli G, Gregori D, Gerosa G, **Bottio** T. *Int J Artif Organs.* 2017 Oct 16:0. doi: 10.5301
6. Left ventricle assist devices and driveline's infection incidence: a single-centre experience. Bejko J, Toto F, Gregori D, Gerosa G, **Bottio** T. *J Artif Organs.* 2018 Mar;21(1):52-60. doi: 10.1007/s10047-017-0997-y
7. 1.The Vietnamese pig as a translational animal model to evaluate tissue engineered heart valves: promising early experience. Gallo M, Poser H, Bottio T, Bonetti A, Franci P, Naso F, Buratto E, Zanella F, Perona G, Dal Lin C, Bianco R, Spina M, Busetto R, Marchini M, Ortolani F, Iop L, Gerosa G. *Int J Artif Organs.* 2017 Mar 27:0. doi: 10.5301
8. 2.Lvad pump speed increase is associated with increased peak exercise cardiac output and vo2, postponed anaerobic threshold and improved ventilatory efficiency. Vignati C, Apostolo A, Cattadori G, Farina S, Del Torto A, Scuri S, Gerosa G, Bottio T, Tarzia V, Bejko J, Sisillo E, Nicoli F, Sciomer S, Alamanni F, Paolillo S, Agostoni P. *Int J Cardiol.* 2017 Mar 1;230:28-32. doi: 10.1016
9. 3.Decellularized aortic conduits: could their cryopreservation affect post-implantation outcomes? A morpho-functional study on porcine homografts. Gallo M, Bonetti A, Poser H, Naso F, Bottio T, Bianco R, Paolin A, Franci P, Busetto R, Frigo AC, Buratto E, Spina M, Marchini M, Ortolani F, Iop L, Gerosa G. *Heart Vessels.* 2016 Nov;31(11):1862-1873. Epub 2016 Apr 26.
10. 4.Interventricular conduction disorders after orthotopic heart transplantation: risk factors and clinical relevance. Ferretto S, Tafciu E, Giuliani I, Feltrin G, Bottio T, Gambino A, Fraiese A, Iliceto S, Gerosa G, Leoni L. *Ann Noninvasive Electrocardiol.* 2016 Sep 9. doi: 10.1111/anec.12402.
11. 5.Use of the Jarvik 2000 to facilitate left ventricular assist device placement in challenging apex anatomy. Bejko J, Tarzia V, Gerosa G, Bottio T. *J Heart Lung Transplant.* 2016 Aug;35(8):1049-51. doi: 10.1016
12. 6.Carotid Artery Stenting in a Patient With a Continuous-Flow Left Ventricular Assist Device. Piazza M, Squizzato F, Grego F, Bottio T, Gerosa G, Antonello M. *J Endovasc Ther.* 2016 Aug;23(4):657-60. doi: 10.1177

13. 7.Prosthetic valve thrombosis: When prevention is better than treatment. Tarzia V, Guariento A, Bagozzi L, Bagno A, Bottio T, Gerosa G. *Am Heart J*. 2016 Apr;174:e1-2. doi: 10.1016/j.ahj.2015.12.016.
14. 8.Coronary Artery Bypass Grafting in Elderly Patients: Insights from a Comparative Analysis of Total Arterial and Conventional Revascularization. Bortolussi G, Bejko J, Gallo M, Comisso M, Carrozzini M, Guglielmi C, Testolin L, Toscano G, Rubino M, Bianco R, Tarzia V, Gerosa G, Bottio T. *J Cardiovasc Transl Res*. 2016 Jun;9(3):223-9. doi: 10.1007
15. 9.How to remove the retroauricular driveline in the Jarvik 2000 after heart transplantation. Gallo M, Bortolussi G, Bejko J, Tarzia V, Gerosa G, Bottio T. *Int J Artif Organs*. 2016 Jan;39(1):45-7. doi: 10.5301
16. 10.Successful heart transplant after 1374 days living with a total artificial heart. Gerosa G, Gallo M, Bottio T, Tarzia V. *Eur J Cardiothorac Surg*. 2016 Apr;49(4):e88-9. doi: 10.1093
17. 11.Use of Freedom SOLO bioprosthesis in aortic valve endocarditis involving the annulus. Bortolussi G, Comisso M, Tarzia V, Gerosa G, Bottio T. *J Cardiovasc Med (Hagerstown)*. 2016 Feb;17(2):165. doi: 10.2459
18. 12.Acute Increase of Cardiac Output Reduces Central Sleep Apneas in Heart Failure Patients. Agostoni P, Contini M, Vignati C, Del Torto A, De Vecchi Lajolo G, Salvioni E, Spadafora E, Lombardi C, Gerosa G, Bottio T, Morosin M, Tarzia V, Scuri S, Parati G, Apostolo A. *J Am Coll Cardiol*. 2015 Dec 8;66(22):2571-2. doi: 10.1016
19. 13.From bench to bedside: Can the improvements in left ventricular assist device design mitigate adverse events and increase survival? Tarzia V, Di Giammarco G, Di Mauro M, Bortolussi G, Maccherini M, Tursi V, Maiani M, Bernazzali S, Marinelli D, Foschi M, Buratto E, Bejko J, Gregori D, Scuri S, Livi U, Sani G, Bottio T, Gerosa G. *J Thorac Cardiovasc Surg*. 2016 Jan;151(1):213-7. doi: 10.1016
20. 14.Orthotopic heart transplantation: the bicaval technique. Toscano G, Bottio T, Gambino A, Bagozzi L, Guariento A, Bortolussi G, Gallo M, Tarzia V, Gerosa G. *Multimed Man Cardiothorac Surg*. 2015 Oct 27;2015. pii: mmv035. doi: 10.1093
21. 15.Cardiopulmonary exercise testing responses to different external portable drivers in a patient with a CardioWest Total Artificial Heart. Tarzia V, Braccioni F, Bortolussi G, Buratto E, Gallo M, Bottio T, Vianello A, Gerosa G. *J Artif Organs*. 2016 Jun;19(2):188-91. doi: 10.1007
22. 16.Left Ventricular Assist Device End-to-End Connection to the Left Subclavian Artery: An Alternative Technique. Bortolussi G, Lika A, Bejko J, Gallo M, Tarzia V, Gerosa G, Bottio T. *Ann Thorac Surg*. 2015 Oct;100(4):e93-5. doi: 10.1016
23. 17.Single vs double antiplatelet therapy in acute coronary syndrome: Predictors of bleeding after coronary artery bypass grafting. Tarzia V, Bortolussi G, Buratto E, Paolini C, Dal Lin C, Rizzoli G, Bottio T, Gerosa G. *World J Cardiol*. 2015 Sep 26;7(9):571-8. doi: 10.4330
24. 18.Comparison of Efficacy and Cost of Iodine Impregnated Drape vs. Standard Drape in Cardiac Surgery: Study in 5100 Patients. Bejko J, Tarzia V, Carrozzini M, Gallo M, Bortolussi G, Comisso M, Testolin L, Guglielmi C, De Franceschi M, Bianco R, Gerosa G, Bottio T. *J Cardiovasc Transl Res*. 2015 Oct;8(7):431-7. doi: 10.1007
25. 19.Pulmonary embolism and LVAD: is there compatibility? Bejko J, Bortolussi G, Tarzia V, Gerosa G, Bottio T. *Int J Artif Organs*. 2015 Aug;38(8):468-70. doi: 10.5301
26. 20.Minimally invasive surgical Jarvik 2000 off-pump implantation. Bejko J, Guariento A, Bortolussi G, Tarzia V, Gerosa G, Bottio T. *Multimed Man Cardiothorac Surg*. 2015 Aug 25;2015.
27. 21.A 61-year-old man with hyperpigmentation. Ochronosis. Rizzo S, Basso C, Bottio T. *Heart*. 2015 Sep;101(17):1412, 1421. doi: 10.1136

28. 22.Evaluation of prosthetic valve thrombosis by 64-row multi-detector computed tomography. Tarzia V, Bortolussi G, Rubino M, Gallo M, Bottio T, Gerosa G. *J Heart Valve Dis.* 2015 Mar;24(2):210-3.
29. 23.Comment to 'Video-assisted minimally invasive mitral valve surgery: transitioning from sternotomy to mini-thoracotomy'. Bortolussi G, Cucchini U, Napodano M, Gerosa G, Bottio T. *Multimed Man Cardiothorac Surg.* 2015 Apr 27;2015. pii: mmv003. doi: 10.1093
30. 24.Extracorporeal life support in cardiogenic shock: Impact of acute versus chronic etiology on outcome. Tarzia V, Bortolussi G, Bianco R, Buratto E, Bejko J, Carrozzini M, De Franceschi M, Gregori D, Fichera D, Zanella F, Bottio T, Gerosa G. *J Thorac Cardiovasc Surg.* 2015 Aug;150(2):333-40. doi:10.1016
31. 25.Abnormal heart rate variability and atrial fibrillation after aortic surgery. Compostella L, Russo N, D'Onofrio A, Setzu T, Compostella C, Bottio T, Gerosa G, Bellotto F. *Rev Bras Cir Cardiovasc.* 2015 Jan-Mar;30(1):55-62. doi: 10.5935
32. 26.A practical review for cardiac rehabilitation professionals of continuous-flow left ventricular assist devices: historical and current perspectives. Compostella L, Russo N, Setzu T, Bottio T, Compostella C, Tarzia V, Livi U, Gerosa G, Iliceto S, Bellotto F. *J Cardiopulm Rehabil Prev.* 2015 Sep-Oct;35(5):301-11. doi: 10.1097
33. 27.Submuscular Approach for Subcutaneous Implantable Cardioverter Defibrillator: A Potential Alternative Technique. Migliore F, Bottio T, Iliceto S, Bertaglia E. *J Cardiovasc Electrophysiol.* 2015 Aug;26(8):905. doi: 10.1111
34. 28.Nitinol flexigrip sternal closure system and standard sternal steel wiring: insight from a matched comparative analysis. Bejko J, Bottio T, Tarzia V, De Franceschi M, Bianco R, Gallo M, Castoro M, Bortolussi G, Gerosa G. *J Cardiovasc Med (Hagerstown).* 2015 Feb;16(2):134-8. doi: 10.2459
35. 29.Surgical implantation of the CardioWest Total Artificial Heart. Tarzia V, Buratto E, Gallo M, Bortolussi G, Bejko J, Dal Lin C, Torregrossa G, Bianco R, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Nov;3(6):624-5. doi: 10.3978
36. 30.Jarvik 2000: evolution of surgical implantation from conventional to minimally invasive technique. Tarzia V, Buratto E, Dal Lin C, Gallo M, Bortolussi G, Bejko J, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Nov;3(6):621-3. doi: 10.3978
37. 31.Hemorrhage and thrombosis with different LVAD technologies: a matter of flow? Tarzia V, Buratto E, Bortolussi G, Gallo M, Bejko J, Bianco R, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Nov;3(6):582-4. doi: 10.3978
38. 32.Implantation of the HeartWare HVAD: from full sternotomy to less invasive techniques. Tarzia V, Buratto E, Gallo M, Bortolussi G, Bejko J, Bianco R, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Sep;3(5):535-7. doi: 10.3978
39. 33.The Jarvik-2000 ventricular assist device implantation: how we do it. Zucchetta F, Tarzia V, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Sep;3(5):525-31. doi: 10.3978
40. 34.Cellular, molecular, genomic changes occurring in the heart under mechanical circulatory support. Gallo M, Tarzia V, Iop L, Bejko J, Bortolussi G, Bianco R, Bottio T, Gerosa G. *Ann Cardiothorac Surg.* 2014 Sep;3(5):496-504. doi: 10.3978
41. 35.Clinical psychological and neuropsychological issues with left ventricular assist devices (LVADs). Mapelli D, Cavazzana A, Cavalli C, Bottio T, Tarzia V, Gerosa G, Volpe BR. *Ann Cardiothorac Surg.* 2014 Sep;3(5):480-9. doi: 10.3978
42. 36.Bilateral mini-thoracotomy off-pump Jarvik 2000 implantation in regional asymmetric paravertebral analgesia. Bottio T, Bejko J, Guariento A, Tarzia V, Pittarello D, Gerosa G. *J Cardiovasc Med (Hagerstown).* 2016 Feb;17(2):160-4. doi: 10.2459

43. 37.The danger of using a sledgehammer to crack a nut: ROTEM-guided administration of recombinant activated factor VII in a patient with refractory bleeding post-ventricular assist device implantation. Tarzia V, Buratto E, Bortolussi G, Paolini C, Bejko J, Bottio T, Gerosa G. *Artif Organs*. 2015 Mar;39(3):248-53. doi: 10.1111
44. 38.HeartWare LVAD implantation in a patient with a rare ARVD: Carvajal syndrome. Bottio T, Bejko J, Tarzia V, Gerosa G. *Int J Artif Organs*. 2014 Jul 31;37(7):563-6. doi: 10.5301
45. 39.Less invasive implantation of HeartWare left ventricular assist device. Bottio T, Bejko J, Gallo M, Bortolussi G, Gerosa G. *Multimed Man Cardiothorac Surg*. 2014 Jul 11;2014. pii: mmu008. doi: 10.1093
46. 40.Thoracic fit of the CardioWest artificial heart: a new technical solution. Bottio T, Bejko J, Gerosa G. *Artif Organs*. 2014 Jun;38(6):520-1. doi: 10.1111
48. 41.Impact of vacuum-assisted closure therapy on outcomes of sternal wound dehiscence†. Tarzia V, Carrozzini M, Bortolussi G, Buratto E, Bejko J, Comisso M, Mescola V, Penzo V, Guarino M, De Franceschi M, Pagnin C, Castoro M, Guglielmi C, Testolin L, Bottio T, Gerosa G. *Interact Cardiovasc Thorac Surg*. 2014 Jul;19(1):70-5. doi: 10.1093
49. 42.Less-invasive off-pump ventricular assist device implantation in regional paravertebral analgesia.
50. Bottio T, Bejko J, Falasco G, Bortolussi G, Gallo M, Tarzia V, Gerosa G. *J Artif Organs*. 2014 Sep;17(3):275-7. doi: 10.1007
51. 43.Ultrasound phonocardiography for detecting thrombotic formations on bileaflet mechanical heart valves. Melan G, Bellato A, Susin FM, Bottio T, Tarzia V, Pengo V, Gerosa G, Bagno A. *J Heart Valve Dis*. 2013 Nov;22(6):828-36.
52. 44.HeartWare ventricular assist device as bridge to transplant in children and adolescents. Padalino MA, Bottio T, Tarzia V, Bortolussi G, Cerutti A, Vida VL, Gerosa G, Stellin G. *Artif Organs*. 2014 May;38(5):418-22. doi: 10.1111
53. 45.Less invasive surgical and perfusion technique for implantation of the Jarvik 2000 left ventricular assist device. Gerosa G, Gallo M, Tarzia V, Di Gregorio G, Zanella F, Bottio T. *Ann Thorac Surg*. 2013 Aug;96(2):712-4. doi: 10.1016
54. 46.First quantification of alpha-Gal epitope in current glutaraldehyde-fixed heart valve bioprostheses. Naso F, Gandaglia A, Bottio T, Tarzia V, Nottle MB, d'Apice AJ, Cowan PJ, Cozzi E, Galli C, Lagutina I, Lazzari G, Iop L, Spina M, Gerosa G. *Xenotransplantation*. 2013 Jul-Aug;20(4):252-61. doi: 10.1111
55. 47.Tissue-engineered heart valves: intra-operative protocol. Gallo M, Bianco R, Bottio T, Naso F, Franci P, Zanella F, Perona G, Busetto R, Spina M, Gandaglia A, Gerosa G. *J Cardiovasc Transl Res*. 2013 Aug;6(4):660-1. doi: 10.1007
56. 48.Cardiac rehabilitation after transcatheter versus surgical prosthetic valve implantation for aortic stenosis in the elderly. Russo N, Compostella L, Tarantini G, Setzu T, Napodano M, Bottio T, D'Onofrio A, Isabella G, Gerosa G, Iliceto S, Bellotto F. *Eur J Prev Cardiol*. 2014 Nov;21(11):1341-8. doi: 10.1177
57. 49.Cardiac autonomic dysfunction in the early phase after left ventricular assist device implant: Implications for surgery and follow-up. Compostella L, Russo N, Setzu T, Tursi V, Bottio T, Tarzia V, Compostella C, Covolo E, Livi U, Gerosa G, Sani G, Bellotto F. *Int J Artif Organs*. 2013 Jun 25;36(6):410-8. doi: 10.5301
58. 50.Aortic valve hydrodynamics: considerations on the absence of sinuses of Valsalva. Bottio T, Buratto E, Dal Lin C, Lika A, Tarzia V, Rizzoli G, Gerosa G. *J Heart Valve Dis*. 2012 Nov;21(6):718-23.

59. 51.Nitinol flexigrip sternal closure system and chest wound infections: insight from a comparative analysis of complications and costs. Bejko J, Tarzia V, De Franceschi M, Bianco R, Castoro M, Bottio T, Gerosa G.
60. Ann Thorac Surg. 2012 Dec;94(6):1848-53. doi: 10.1016
61. 52.Descending aorta-to-coronary artery bypass graft imaging by means of multislice computed tomography. Tarzia V, Dal Lin C, Bottio T, Testolin L, De Biasio V, Gerosa G. Tex Heart Inst J. 2012;39(4):585.
62. 53.The pathology of TRI-Tech valve leaflet escape. Della Barbera M, Bottio T, Angelini A, Cresce GD, Montisci M, Gerosa G, Valente M, Thiene G. J Heart Valve Dis. 2012 Mar;21(2):241-6.
63. 54.Development of artificial neural network-based algorithms for the classification of bileaflet mechanical heart valve sounds. Bagno A, Licciardello C, Tarzia V, Bottio T, Pengo V, Gerosa G. Int J Artif Organs. 2012 Apr 30;35(4):279-87. doi: 10.5301
64. 55.Carpentier-Edwards Magna ease versus Magna valves: a comparison of in-vitro valve hydrodynamic performance. Dal Lin C, Bottio T, Buratto E, Tarzia V, Rizzoli G, Savona V, Gerosa G. J Heart Valve Dis. 2012 Jan;21(1):112-7.
65. 56.Occult gastrointestinal bleeding in patients with a left ventricular assist device axial flow pump: diagnostic tools and therapeutic algorithm. Tarzia V, Dal Lin C, Bottio T, Benvenuti S, Chilovi F, Gerosa G. J Thorac Cardiovasc Surg. 2012 Apr;143(4):e28-31. doi: 10.1016
66. 57.The hazard of comparing apples and oranges: the proper indication for the use of recombinant activated clotting factor VII in cardiac surgery. Tarzia V, Bottio T, Buratto E, Spiezia L, Simioni P, Gerosa G. J Thorac Cardiovasc Surg. 2011 Dec;142(6):1588-9; author reply 1589. doi: 10.1016
67. 58.Freedom solo stentless aortic valve: quantitative and qualitative assessment of thrombocytopenia.
68. Tarzia V, Bottio T, Buratto E, Spiezia L, Simioni P, Gerosa G. Ann Thorac Surg. 2011 Nov;92(5):1935. doi: 10.1016
69. 59.In vitro comparison of different mechanical prostheses suitable for replacement of the systemic atrioventricular valve in children. Bottio T, Dal Lin C, Lika A, Rizzoli G, Tarzia V, Buratto E, Gerosa G. J Thorac Cardiovasc Surg. 2012 Mar;143(3):558-68. doi: 10.1016
70. 60.In-vitro detection of thrombotic formation on bileaflet mechanical heart valves. Susin FM, Tarzia V, Bottio T, Pengo V, Bagno A, Gerosa G. J Heart Valve Dis. 2011 Jul;20(4):378-86.
71. 61.Thrombectomy for massive bioprosthetic valve thrombosis. Tarzia V, Dal Lin C, Bottio T, Gerosa G. Eur J Cardiothorac Surg. 2011 Dec;40(6):1540. doi: 10.1016
72. 62.The changing hydrodynamic performance of the decellularized intact porcine aortic root: considerations on in-vitro testing. Bottio T, Tarzia V, Dal Lin C, Buratto E, Rizzoli G, Spina M, Gandaglia A, Naso F, Gerosa G. J Heart Valve Dis. 2010 Jul;19(4):485-91.
73. 63.The fate of Hancock II porcine valve recipients 25 years after implant. Valfrè C, Ius P, Minniti G, Salvador L, Bottio T, Cesari F, Rizzoli G, Gerosa G. Eur J Cardiothorac Surg. 2010 Aug;38(2):141-6. doi: 10.1016
74. 64.Valve surgery in octogenarians: does it prolong life? Rizzoli G, Bejko J, Bottio T, Tarzia V, Gerosa G. Eur J Cardiothorac Surg. 2010 May;37(5):1047-55. doi: 10.1016
75. 65.Bileaflet mechanical heart valve closing sounds: in vitro classification by phonocardiographic analysis. Bagno A, Anzil F, Buselli R, Pesavento E, Tarzia V, Pengo V, Bottio T, Gerosa G. J Artif Organs. 2009;12(3):172-81. doi: 10.1007
76. 66.Is the analysis over the time domain or over the frequency domain significant for the detection of bileaflet mechanical heart valve dysfunction? Bagno A, Anzil F, Buselli R, Tarzia V, Bottio T, Gerosa G, Pengo V. Ann Thorac Surg. 2009 Mar;87(3):986-7; author reply 987-8. doi: 10.1016

77. 67.Total arterial revascularization, conventional coronary artery bypass surgery, and age cut-off for the loss of benefit from bilateral internal thoracic artery grafting. Bottio T, Tarzia V, Rizzoli G, Gerosa G. *Eur J Cardiothorac Surg*. 2009 Jan;35(1):191. doi: 10.1016
78. 68.Arterial switch operation, aortic root dilation, and long-term aortic valve competence. Bottio T, Thiene G, Tarzia V, Rizzoli G, Gerosa G. *Ann Thorac Surg*. 2008 Dec;86(6):2025-6. doi: 10.1016
79. 69.Aortic valve stenosis management: old strategies and future directions. Bottio T, Tarzia V, Rizzoli G, Gerosa G. *Eur Heart J*. 2008 Nov;29(22):2821; author reply 2822. doi: 10.1093
80. 70.The present and the future in aortic stenosis management: are there factors that might preclude surgery? Bottio T. *J Thorac Cardiovasc Surg*. 2008 Aug;136(2):538-9. doi: 10.1016
81. 71.A word of caution for patients undergoing lung transplantation with associated mitral regurgitation. Hamad AM, Rizzardi G, Bottio T, Gerosa G, Rea F. *J Heart Lung Transplant*. 2008 Aug;27(8):935-6. doi: 10.1016
82. 72.Valve prostheses evaluation: it is a complex scenario and not only a matter of gradient. Bottio T, Tarzia V, Rizzoli G, Gerosa G. *Ann Thorac Surg*. 2008 Aug;86(2):691; author reply 691-2. doi: 10.1016
83. 73.The changing spectrum of bioprostheses hydrodynamic performance: considerations on in-vitro tests. Bottio T, Tarzia V, Rizzoli G, Gerosa G. *Interact Cardiovasc Thorac Surg*. 2008 Oct;7(5):750-4. doi: 10.1510
84. 74.In-vitro testing of three totally supra-annular bileaflet mechanical valves: hydrodynamics in the Sheffield pulse duplicator. Bottio T, Tarzia V, Rizzoli G, Gerosa G. *J Heart Valve Dis*. 2008 Mar;17(2):222-6.
85. 75.A case of thrombus outside a ligated left atrial appendage despite prolonged oral anticoagulant therapy. Vizzardi ME, Bottio T, Faggiano P, Zanini G, Antonioli E, Fracassi F, Chiari E, Muneretto C, Dei Cas L. *Minerva Cardioangiol*. 2008 Jun;56(3):377-8.
86. 76.PCI with or without surgical standby. Bisleri G, Bottio T, Muneretto C, Berlinghieri N. *Heart*. 2007 Dec;93(12):1619; author reply 1619.
87. 77.Giant mature teratoma of the pericardium. Bisleri G, Bottio T, Piccoli P, Muneretto C. *Eur J Cardiothorac Surg*. 2007 Oct;32(4):660. Epub 2007 Aug 15.
88. 78.Extended (31 years) durability of a Starr-Edwards prosthesis in mitral position. Tarzia V, Bottio T, Testolin L, Gerosa G. *Interact Cardiovasc Thorac Surg*. 2007 Aug;6(4):570-1. Epub 2007 May 2.
89. 79.Conflicting echocardiographic evaluations of supra-annular tissue valves: a mystery not yet resolved.
90. Bottio T, Gerosa G. *Ann Thorac Surg*. 2007 Aug;84(2):713-4.
91. 80.Heart valve surgery in a very high-risk population: a preliminary experience in awake patients. Bottio T, Bisleri G, Piccoli P, Negri A, Manzato A, Muneretto C. *J Heart Valve Dis*. 2007 Mar;16(2):187-94.
92. 81.Temporary coronary artery occlusion during off-pump surgery and endothelial vessel dysfunction: is it still an unresolved mystery? Bottio T, Tarzia V, Gerosa G. *J Thorac Cardiovasc Surg*. 2007 May;133(5):1397; author reply 1397-8.
93. 82.Endoscopic radial artery harvesting with a novel vessel sealing system. Bisleri G, Bottio T, Muneretto C. *Ann Thorac Surg*. 2007 Apr;83(4):1580-1.
94. 83.Massive mitral and pulmonary valve incompetence in a patient with left ventricular, non-compacted myocardium. Bottio T, Farina D, Piccoli P, Muzzi L, Negri A, Bisleri G, Berlinghieri N, Muneretto C. *J Heart Valve Dis*. 2007 Jan;16(1):93-5.
95. 84.The changing spectrum of porcine bioprosthetic valve failure. Bottio T, Thiene G. *Cardiovasc Pathol*. 2007 Jan-Feb;16(1):1-3

96. 85.Valve-sparing aortic root replacement in a patient with a rare connective tissue disorder: arterial tortuosity syndrome. Bottio T, Bisleri G, Piccoli P, Muneretto C. *J Thorac Cardiovasc Surg.* 2007 Jan;133(1):252-3.
97. 86.Commissural dehiscence: a rare and peculiar cause of porcine valve structural deterioration. Bottio T, Valente M, Rizzoli G, Tarzia V, Bisleri G, Pettenazzo E, Gerosa G, Thiene G. *J Thorac Cardiovasc Surg.* 2006 Nov;132(5):1017-22.
98. 87.Fifteen-year results with the Hancock II valve: a multicenter experience. Rizzoli G, Mirone S, Ius P, Polesel E, Bottio T, Salvador L, Zussa C, Gerosa G, Valfrè C. *J Thorac Cardiovasc Surg.* 2006 Sep;132(3):602-9, 609.e1-4.
99. 88.Clinical results of Hancock II versus Hancock Standard at long-term follow-up. Valfrè C, Rizzoli G, Zussa C, Ius P, Polesel E, Mirone S, Bottio T, Gerosa G. *J Thorac Cardiovasc Surg.* 2006 Sep;132(3):595-601, 601.e1-2.
100. 89.Prolonged durability of a Kay-Shiley mechanical valve prosthesis. Bottio T, Basso C, Thiene G, Gerosa G. *Tex Heart Inst J.* 2006;33(2):270-1.
101. 90.Early and long-term prognostic value of Troponin-I after cardiac surgery in newborns and children. Bottio T, Vida V, Padalino M, Gerosa G, Stellin G. *Eur J Cardiothorac Surg.* 2006 Aug;30(2):250-5.
102. 91.Small aortic annulus: the hydrodynamic performances of 5 commercially available tissue valves. Gerosa G, Tarzia V, Rizzoli G, Bottio T. *J Thorac Cardiovasc Surg.* 2006 May;131(5):1058-64.
103. 92.Isolation, purification, and heterogeneity of human lymphatic endothelial cells from different tissues. Garrafa E, Trainini L, Benetti A, Saba E, Fezzardi L, Lorusso B, Borghetti P, Bottio T, Ceri E, Portolani N, Bonardlli S, Giulini SM, Annibale G, Corradi A, Imberti L, Caruso A. *Lymphology.* 2005 Dec;38(4):159-66.
104. 93.Minimally invasive surgical placement of left ventricular epicardial lead: letter 1. Bisleri G, Bottio T, Muneretto C. *Ann Thorac Surg.* 2006 Jan;81(1):407.
105. 94.Antiphospholipid syndrome and right atrial mass. Basso C, Bottio T, Rubino M, Ruffatti A, Pittarello D, Thiene G, Gerosa G. *J Thorac Cardiovasc Surg.* 2005 Nov;130(5):1462-3.
106. 95.Performance of the pulmonary autograft in four infants after the Ross procedure. Vida VL, Rubino M, Bottio T, Sponga S, Milanese O, Stellin G. *Pediatr Cardiol.* 2005 Nov-Dec;26(6):797-800.
107. 96.Biological versus mechanical aortic prosthesis? A nineteen-year comparison in a propensity-matched population. Bottio T, Rizzoli G, Caprili L, Testolin L, Thiene G, Gerosa G. *J Heart Valve Dis.* 2005 Jul;14(4):493-500.
108. 97.The need of a hybrid approach for the treatment of atrial fibrillation. Bisleri G, Curnis A, Bottio T, Mascioli G, Muneretto C. *Heart Surg Forum.* 2005;8(5):E326-30. Review.
109. 98.Clinical-pathologic conference in cardiac surgery: malignant schwannoma of the heart. Bottio T, Gerosa G. *J Thorac Cardiovasc Surg.* 2005 Jul;130(1):202-5.
110. 99.Should we attempt functionally univentricular or partial biventricular repair for patients with complex congenital cardiac anomalies and hypoplasia of the subpulmonary ventricle? Vida VL, Rubino M, Bottio T, Milanese O, Pittarello G, Stellin G. *Cardiol Young.* 2004;14 Suppl 3:57-61.
111. 100.Surgical treatment of lone atrial fibrillation in an awake patient. Bisleri G, Bottio T, Manzato A, Muneretto C. *Heart Surg Forum.* 2005;8(3):E158-60.
112. 101.Anomalous origin of one pulmonary artery from the ascending aorta. Vida VL, Sanders SP, Bottio T, Maschietto N, Rubino M, Milanese O, Stellin G. *Cardiol Young.* 2005 Apr;15(2):176-81.

113. 102.Preservation of the anterior fat pad and incidence of postoperative atrial fibrillation following coronary surgery. Bisleri G, Bottio T, Morgan JA, Muneretto C. *J Am Coll Cardiol.* 2005 Apr 19;45(8):1308; author reply 1308-9
114. 103.Parasternal wire technique and sternal dehiscence. Bottio T, Tarzia V, Muneretto C. *Ann Thorac Surg.* 2005 Mar;79(3):1096-7.
115. 104.An unusual case of aorto-left ventricular tunnel. Vida VL, Bottio T, Stellin G. *Cardiol Young.* 2004 Apr;14(2):203-5.
116. 105.Thoracoscopic closure of the patent arterial duct. Vida VL, Rubino M, Bottio T, Padalino MA, Milanese O, Pittarello D, Stellin G. *Cardiol Young.* 2004 Apr;14(2):164-7.
117. 106.Intermediate results of isolated mitral valve replacement with a Biocor porcine valve. Rizzoli G, Bottio T, Vida V, Nesseris G, Caprili L, Thiene G, Gerosa G. *J Thorac Cardiovasc Surg.* 2005 Feb;129(2):322-9.
118. 107.Critical aortic stenosis in early infancy: surgical treatment for residual lesions after balloon dilation. Vida VL, Bottio T, Milanese O, Reffo E, Biffanti R, Bonato R, Stellin G. *Ann Thorac Surg.* 2005 Jan;79(1):47-51; discussion 51-2. Review.
119. 108.Echocardiographic diagnosis of aortic valve papillary fibroelastoma. Bottio T, Pittarello D, Bonato R, Thiene G, Gerosa G, Casarotto D, Basso C. *Tex Heart Inst J.* 2004;31(3):322-3.
120. 109.Epidural anesthesia for coronary artery bypass surgery. Bisleri G, Bottio T, Manzato A, Muneretto C. *Eur J Cardiothorac Surg.* 2004 Dec;26(6):1228-9.
122. 110.Carpentier-Edwards Perimount valve and intraoperative structural failure. Bottio T, Tarzia V, Muneretto C. *J Thorac Cardiovasc Surg.* 2004 Nov;128(5):795; author reply 796.
123. 111.Atrial septal mass: transesophageal echocardiographic assessment. Rizzoli G, Bottio T, Pittarello D, Napodano M, Thiene G, Basso C. *J Thorac Cardiovasc Surg.* 2004 Nov;128(5):767-9.
124. 112.Small aortic annulus: the hydrodynamic performances of 5 commercially available bileaflet mechanical valves. Bottio T, Caprili L, Casarotto D, Gerosa G. *J Thorac Cardiovasc Surg.* 2004 Sep;128(3):457-62.
125. 113.How an undiscovered extensive peripheral pulmonary venous thrombosis destroyed a heart transplant: a case report. Bottio T, Angelini A, Testolin L, Bonato R, Thiene G, Gerosa G. *Transplant Proc.* 2004 Jun;36(5):1551-3.
126. 114.The experience with porcine bioprostheses at Padua University. Gerosa G, Rizzoli G, Di Marco F, Bottio T, Thiene G, Casarotto D. *J Heart Valve Dis.* 2004 May;13 Suppl 1:S44-8.
127. 115.Searching for a correct method of evaluation of valve prosthesis performance. Laboratory assessment. Gerosa G, di Marco F, Casarotto D, Bottio T. *J Heart Valve Dis.* 2004 May;13 Suppl 1:S1-3. Review. No abstract available.
129. 116.BIOSA bileaflet pericardial valve: experimental study in sheep model. Pettenazzo E, Bottio T, Thiene G, Gozzi G, Gatti M, Mikus PM, Valente M. *Cardiovasc Pathol.* 2004 Jul-Aug;13(4):207-12.
130. 117.Hemodynamic and clinical outcomes with the Biocor valve in the aortic position: an 8-year experience. Bottio T, Rizzoli G, Thiene G, Nesseris G, Casarotto D, Gerosa G. *J Thorac Cardiovasc Surg.*2004;127(6):1616-23.
131. 118.Biological or mechanical prostheses in tricuspid position? A meta-analysis of intra-institutional results. Rizzoli G, Vendramin I, Nesseris G, Bottio T, Guglielmi C, Schiavon L. *Ann Thorac Surg.* 2004 May;77(5):1607-14.

132. 119. Are valve bioprostheses more prone to structural valve deterioration in mitral than in aortic position? An answer derived from a prolonged experience with the Novacor left ventricular assist device. Bottio T, Gambino A, Casarotto D, Gerosa G, Thiene G. *J Heart Lung Transplant*. 2004 Apr;23(4):507-9.
133. 120. The bovine jugular vein conduit for right ventricular outflow tract reconstruction: a feasible alternative to homograft conduits? Bottio T, Thiene G, Vida V, Della Barbera M, Angelini A, Stellin G, Gerosa G. *J Thorac Cardiovasc Surg*. 2004 Apr;127(4):1204-7.
134. 121. Coronary artery tourniquet and shunting: acute effects and wall damage. Bottio T, Gerosa G. *Eur J Cardiothorac Surg*. 2004 Apr;25(4):661-2; author reply 662.
135. 122. Full-sternotomy off-pump versus on-pump coronary artery bypass procedures: in-hospital outcomes and complications during one year in a single center. Bottio T, Rizzoli G, Caprili L, Nesseris G, Thiene G, Gerosa G. *Tex Heart Inst J*. 2003;30(4):261-7.
136. 123. Expected freedom from structural degeneration and patient outgrowth for the bovine jugular vein conduit: is it possible to calculate a safe rate for children? Bottio T, Vida VL, Stellin G, Thiene G, Casarotto D, Gerosa G. *Ann Thorac Surg*. 2003 Dec;76(6):2167-8; author reply 2168.
137. 124. Double crisscross sternal wiring and chest wound infections: a prospective randomized study. Bottio T, Rizzoli G, Vida V, Casarotto D, Gerosa G. *J Thorac Cardiovasc Surg*. 2003 Nov;126(5):1352-6.
138. 125. Life-threatening anaphylactic shock caused by porcine heparin intravenous infusion during mitral valve repair. Bottio T, Pittarello G, Bonato R, Fagiolo U, Gerosa G. *J Thorac Cardiovasc Surg*. 2003 Oct;126(4):1194-5.
139. 126. Primary cardiac valve tumours. Basso C, Bottio T, Valente M, Bonato R, Casarotto D, Thiene G. *Heart*. 2003 Oct;89(10):1259-60.
140. 127. Double criss-cross sternal wiring and chest wound infections. Bottio T, Vida VL, Gerosa G, Casarotto D. *Ann Thorac Surg*. 2003 Sep;76(3):975-6; author reply 976-7.
141. 128. Hancock II bioprosthesis: a glance at the microscope in mid-long-term explants. Bottio T, Thiene G, Pettenazzo E, Ius P, Bortolotti U, Rizzoli G, Valfré C, Casarotto D, Valente M. *J Thorac Cardiovasc Surg*. 2003 Jul;126(1):99-105.
142. 129. Long-term durability of the Hancock II porcine bioprosthesis. Rizzoli G, Bottio T, Thiene G, Toscano G, Casarotto D. *J Thorac Cardiovasc Surg*. 2003 Jul;126(1):66-74.
143. 130. Intracoronary artery shunt: an assessment of possible coronary artery wall damage. Gerosa G, Bottio T, Valente M, Thiene G, Casarotto D. *J Thorac Cardiovasc Surg*. 2003 May;125(5):1160-2.
144. 131. Leaflet escape in a new bileaflet mechanical valve: TRI technologies. Bottio T, Casarotto D, Thiene G, Caprili L, Angelini A, Gerosa G. *Circulation*. 2003 May 13;107(18):2303-6. Epub 2003 May 5.
145. 132. Radiofrequency ablation through a right atrium incision in congenital atrial septal defect. Bottio T, Leoni L, Vida V, Stellin G, Casarotto D, Gerosa G. *Langenbecks Arch Surg*. 2003 Mar;388(1):52-5.
146. 133. The last to die is hope: prolonged mechanical circulatory support with a Novacor left ventricular assist device as a bridge to transplantation. Casarotto D, Bottio T, Gambino A, Testolin L, Gerosa G. *J Thorac Cardiovasc Surg*. 2003 Feb;125(2):417-8.
147. 134. Left main trunk ostial stenosis and aortic incompetence in Takayasu's arteritis. Bottio T, Cardaioli P, Ossi E, Casarotto D, Thiene G, Basso C. *Cardiovasc Pathol*. 2002 Sep-Oct;11(5):291-5. Review.

148. 135.Unexpected mechanical bileaflet valve thrombosis in mitral position: what is better to do, re-replacement or thrombolysis. Bottio T, Gerosa G, Basso C, Thiene G, Casarotto DC. *Langenbecks Arch Surg.* 2002 Jul;387(3-4):166-9.
149. 136.Mid-term follow-up in patients with Biocor porcine bioprostheses. Bottio T, Rizzoli G, Gerosa G, Thiene G, Casarotto D. *Cardiovasc Surg.* 2002 Jun;10(3):238-44.
150. 137.Case report: fibroelastoma of the papillary muscle of the mitral valve: diagnostic implications and review of the literature. Bottio T, Basso C, Rizzoli G, Casarotto D, Thiene G. *J Heart Valve Dis.* 2002 Mar;11(2):288-91. Review.
151. 138.Is the tricuspid position suitable for testing replacement bioprosthetic valves in the sheep model?
152. Pettenazzo E, Thiene G, Gatti AM, Pasquino E, Talenti E, Noera G, Bottio T, Valente M. *J Heart Valve Dis.* 2001 Jul;10(4):513-9.
153. 139.Dynamic in vitro calcification of bioprosthetic porcine valves: evidence of apatite crystallization. Pettenazzo E, Deiwick M, Thiene G, Molin G, Glasmacher B, Martignago F, Bottio T, Reul H, Valente M. *J Thorac Cardiovasc Surg.* 2001 Mar;121(3):500-9.
154. 140.Elective surgery for small abdominal aortic aneurysms. Ballotta E, Da Giau G, Bottio T, Toniato A. *Cardiovasc Surg.* 1999 Aug;7(5):495-502.
155. 141.Reoperations for acute prosthetic thrombosis and pannus: an assessment of rates, relationship and risk. Rizzoli G, Guglielmi C, Toscano G, Pistorio V, Vendramin I, Bottio T, Thiene G, Casarotto D. *Eur J Cardiothorac Surg.* 1999 Jul;16(1):74-80.
156. 142.Elongation of the internal carotid artery and abdominal aortic aneurysm: is there a relationship? Ballotta E, Da Giau G, Bottio T. *J Cardiovasc Surg (Torino).* 1999 Feb;40(1):21-6.
157. 143.Multivariate analysis of survival after malfunctioning biological and mechanical prosthesis replacement. Rizzoli G, Bottio T, De Perini L, Scalia D, Thiene G, Casarotto D. *Ann Thorac Surg.* 1998 Dec;66(6 Suppl):S88-94.
158. 144.Prosthetic replacement of the tricuspid valve: biological or mechanical? Rizzoli G, De Perini L, Bottio T, Minutolo G, Thiene G, Casarotto D. *Ann Thorac Surg.* 1998 Dec;66(6 Suppl):S62-7.
159. 145.Pathology of the Pericarbon bovine pericardial xenograft implanted in humans. Valente M, Ius P, Bortolotti U, Talenti E, Bottio T, Thiene G. *J Heart Valve Dis.* 1998 Mar;7(2):180-9.
160. 146.The elongation of the internal carotid artery: early and long-term results of patients having surgery compared with unoperated controls. Ballotta E, Abbruzzese E, Thiene G, Bottio T, Dagiau G, Angelini A, Saladini M. *Ann Vasc Surg.* 1997 Mar;11(2):120-8.
161. 147.Results of electroencephalographic monitoring during 369 consecutive carotid artery revascularizations. Ballotta E, Dagiau G, Saladini M, Bottio T, Abbruzzese E, Meneghetti G, Guerra M. *Eur Neurol.* 1997;37(1):43-7.
162. 148.Aberrant right subclavian artery. An original median cervical approach. Ballotta E, Bardini R, Bottio T. *J Cardiovasc Surg (Torino).* 1996 Dec;37(6):571-3.